Full size Z tower power at half the size



Get all the power of a full size tower at a fraction of the size. Re-engineered to fit fullheight, full-length graphics while leaving room for upgrades and expansion, the Z2 SFF delivers high performance for your intensive workflow—from 3D design to real time ray tracing—now and in the future.

Full size Z tower power at half the size

Tower power in a fraction of the size. Re-engineered to fit full-height, full-length graphics while leaving room for upgrades and expansion, the Z2 SFF delivers high performance for your intensive workflow—from 3D design to real time ray tracing. Get all the power of a full size tower at a fraction of the size. Re-engineered to fit full-height, full-length graphics while leaving room for upgrades and expansion, the Z2 SFF delivers high performance for your intensive workflow—from 3D design to real time ray tracing room for upgrades and expansion, the Z2 SFF delivers high performance for your intensive workflow—from 3D design to real time ray tracing mow and in the future.

Full height, full length performance

Design, simulate and—for the first time—real time ray trace on a Z2 SFF. Now fitting full height, full length pro graphics and Intel® Core™ processors, including K-Series, this PC delivers tower-sized performance that defies space constraints.

Configurable for today. Expandable for tomorrow.

Accelerate your current workflow with a multitude of options across processor, graphics, memory, storage, and I/O ports. And with plenty of room to upgrade and expand, this PC is ready to grow with you as your workflow evolves.

Industry leading security. Reliability you can trust.

Get peace of mind with a PC that's built to endure. The Z2 SFF undergoes 360K hours of rigorous testing, military-standard testing¹ and is certified for pro apps. And with HP Wolf Security for Business², it's protected below, in and above the OS.









Operating Systems

Support your unique user needs with a choice of Windows 11 Pro, WSL2 or Linux® operating systems.⁴

Intel[®] Core[™] Processors⁵

Bring your ideas to life quickly and run multiple apps simultaneously with the latest Intel® Core™ vPro®⁶ processors. For added performance, choose the K-Series.

Professional Graphics

Design, real-time ray trace and simulate with up to NVIDIA RTX 4000 Ada and AMD Radeon Pro W7600 graphics with PCIe G5 high speed bandwidth.⁷

Memory

Experience fast performance when working on complex design tasks with 4 DIMMs for up to 192GB DDR5 memory at an increased memory speed of up to 4400MHz.⁸

Storage

Simplify your storage with up to 36TB with 3x M.2 storage slots and RAID for added performance and reliability.9

Flexible I/O Module

Configure to the needs of today and tomorrow. Experience flexible I/O modules with multiple options for customers to choose from, including DP 1.4, VGA, HDMI, Dual USB Type-A, USB Type-C® with Alt-DP or 2nd Serial and more.¹⁰

Custom Performance Modes

Take on the toughest workflows with High Performance Mode set as the default and experience up to 34% performance improvement for multi-threaded workflows.¹² Easily change to Quiet Mode with a BIOS setting.

Tool-less Access

Evolve your work. Evolve your rig. With tool-less access to the interior, you can customize your Z to fit your needs.

Network Connectivity

Get fast network connectivity with 10Gb Ethernet interface.

HP Wolf Security

HP Wolf Security for Business creates a hardware-enforced, always-on, resilient defense. From the BIOS to the browser, above, in, and below the OS, these constantly evolving solutions help protect your PC from modern threats.¹¹

Thermal Management

Innovatively designed to keep hardware components cool and quiet no matter how hard you push it. Have confidence to run your system at max load 24/7.

ISV Certified

Work with confidence knowing your desktop is certified with leading software applications to ensure peak performance.³



Specifications Table

Available Operating Systems	Windows 11 Pro ¹ Windows 11 Home – HP recommends Windows 11 Pro for business ¹ Linux® Ready ³ Ubuntu 20.04 LTS ²⁷
Processor family ⁴	13th Generation Intel® Core™ i9 processor; 13th Generation Intel® Core™ i7 processor; 13th Generation Intel® Core™ i5 processor; 12th Generation Intel® Core™ i9 processor; 12th Generation Intel® Core™ i7 processor; 12th Generation Intel® Core™ i5 processor; 12th Generation Intel® Core™ i5 14th generation processor; 11th generation processor; 12th Generation Intel® Core™ i5 14th generation processor; 12th Generation processor; 12th Generation Intel® Core™ i5 processor; 12th Generation Intel® Core™ i5 14th generation processor; 12th Generation processor; 12th Generation Intel® Core™ i5 14th generation processor; 12th Generation processor; 12th Generation Intel® Core™ i5 14th generation processor; 12th Generation processor; 12th Generation processor; 12th Generation Intel® Core™ i5 14th generation processor; 12th Generation Intel® Core™ i5 14th generation processor; 12th Gen
Available Processors	Intel® Core [™] (3-12100 with Intel® UHD Graphics (3.3 GHz P-core base frequency, 2.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® Core [™] (3-12200 with Intel® UHD Graphics (1.5 GHz E-core base frequency, 2.4 GHz P-core base frequency, up to 3.8 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 5.1 GHz with Intel® UHD Graphics (1.6 GHz E-core base frequency, 2.1 GHz P-core base frequency, up to 3.6 GHz E-core Max Turbo frequency, up to 4.9 GHz with Intel® UHD Graphics (1.6 GHz E-core base frequency, 2.1 GHz P-core base frequency, up to 3.6 GHz E-core Max Turbo frequency, up to 4.9 GHz with Intel® Turbo Soots Technology, 25 MB L3 cache, 8 P-cores and 4 E-cores, 20 threads) Intel® Core [™] (5-13300 (1.8 GHz E-core base frequency, 2.5 GHz P-core base frequency, up to 3.3 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, 20 MB L3 cache, 6 P-cores and 4 E-cores, 20 threads) Intel® Core [™] (5-13300 (1.8 GHz E-core base frequency, 2.7 GHz P-core base frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, 24 MB L3 cache, 6 P-cores and 8 E-cores, 20 threads) Intel® Core [™] (5-13300 (2.6 GHz E-core base frequency, 2.7 GHz P-core base frequency, up to 3.9 GHZ E-core Max Turbo frequency, up to 5.1 GHz P-core Max Turbo frequency, 24 MB L3 cache, 6 P-cores and 8 E-cores, 20 threads) Intel® Core [™] (5-1300 (2.6 GHz E-core base frequency, 2.1 GHz P-core base frequency, up to 5.1 GHz P-core Max Turbo frequency, 30 MB L3 cache, 8 P-cores and 8 E-cores, 24 threads) Intel® Core [™] (5-1300 (2.6 GHz E-core base frequency, 2.1 GHz P-core base frequency, up to 4.1 GHZ E-core Max Turbo frequency, up to 5.3 GHz P-core Max Turbo frequency, 30 MB L3 cache, 8 P-cores and 8 E-cores, 24 threads) Intel® Core [™] (7-1370 (2.5 GHZ E-core base frequency, 3.0 GHz P-core base frequency, up to 4.2 GHz E-core Max Turbo frequency, up to 5.3 GHz P-core Max Turbo frequency, 30 MB L3 cache, 8 P-cores and 16 E-cores, 24 threads) Inte
Maximum memory	192 GB DDR5-4800 MT/s non-ECC; 128 GB DDR5-4800 MT/s ECC ³² Transfer rates up to 4400 MT/s.
Internal storage	500 GB up to 2 TB 7200 rpm SATA HDD ⁷ 1 TB up to 12 TB 7200 rpm Enterprise SATA HDD ⁷ up to 500 GB 7200 rpm SED HDD ⁷ 512 GB up to 4 TB HP Z Turbo Drive PCIe® NVMe™ TLC M.2 SSD ⁷ 512 GB up to 4 TB HP Z Turbo Drive PCIe® NVMe™ SED Opal 2 TLC M.2 SSD ⁷ 256 GB up to 1 TB PCIe® NVMe™ Value M.2 SSD ⁷ 500 GB up to 2 TB CRU SHIPS Removable NVMe™ Module ⁷
Optical drive	HP Slim DVD-ROM; HP Slim DVD-Writer ^{11,12}
Available Graphics	Integrated: Intel® UHD Graphics 770 Entry 3D: AMD Radeon [™] Pro WX 3200 (4 GB GDDR5 dedicated) NVIDIA® T400 4 GB ³⁰ Mid-range 3D: NVIDIA RTX [™] A4000 (16 GB GDDR6 dedicated) NVIDIA RTX [™] A4000 (16 GB GDDR6 dedicated) NVIDIA RTX [™] A2000 (12 GB GDDR6 dedicated) NVIDIA® T1000 (8 GB GDDR6 dedicated) NVIDIA® T1000 (4 GB GDDR6 dedicated) NVIDIA® T1000 (4 GB GDDR6 dedicated) NVIDIA RTX [™] A2000 (6 GB GDDR6 dedicated) NVIDIA RTX [™] A2000 (16 GB GDDR6 dedicated) NVIDIA RTX [™] A2000 (20 GB GDDR6 dedicated) AMD Radeon [™] Pro W7600 (20 GB GDDR6 dedicated) NVIDIA RTX [™] A2000 (20 GB GDDR6 dedicated) NVIDIA RTX [™] A2000 (20 GB GDDR6 dedicated) AMD Radeon [™] RX 6400 Graphics (4 GB GDDR6 dedicated) AMD Radeon [™] RX 6700 XT Graphics (12 GB GDDR6 dedicated)
Audio	Realtek ALC3252
Expansion slots	1 half-height PCle 4 x16; 1 half-height PCle 3 x4; 1 half-height PCle 3 x4 (x16 connector); 1 half-height PCle 3 x1; 1 full-height PCle 4 x16; 1 full-height PCle 4 x16 (x16 connector) (1 M.2 2230 slot for WLAN and 3 M.2 2280 slots for storage)
Ports and connectors	Front: 1 SuperSpeed USB Type-C® 20Gbps signaling rate (USB Power Delivery, DisplayPort [™] 1.4, HP Sleep and Charge); 4 SuperSpeed USB Type-A 10Gbps signaling rate (1 charging); 1 universal audio jack ; Rear: 1 audio-in; 1 audio-un; 1 RJ-45; 2 DisplayPort [™] 1.4; 2 SuperSpeed USB Type-A 10Gbps signaling rate; 1 SuperSpeed USB Type-A 5Gbps signaling rate; 3 USB Type-A 480Mbps signaling rate ; Optional Ports: Flex IO – choose one of the following options: 1 DisplayPort [™] 1.4, 1 HDMI 2.0b, 1 VGA, 1 2nd 1GbE LAN, 1 Dual SuperSpeed USB Type-A 5Gbps signaling rate; 3 USB signaling rate (abled to PCIe® AIC); Flex IO Rear – choose one of the following options: 1 SuperSpeed USB Type-C® 20Gbps signaling rate (1 charging), 2 SuperSpeed USB Type-A 5Gbps signaling rate (1 charging), 1 SD 4.0 card reader; Flex IO Front – choose one of the following options: 1 SuperSpeed USB Type-C® 20Gbps signaling rate (1 charging), 1 SD 4.0 card reader. Flex IO Front – choose one of the following options: 1 SuperSpeed USB Type-C® 20Gbps signaling rate, 1 SuperSpeed USB Type-C® 20Gbps signaling rate, 1 Charging), 1 SD 4.0 card reader. Flex IO Front – choose one of the following options: 1 SuperSpeed USB Type-C® 20Gbps signaling rate, 1 Charging), 1 SD 4.0 card reader. Flex IO Front – choose one of the following options: 1 SuperSpeed USB Type-C® 40Gbps signaling rate (1 charging), 1 SD 4.0 card reader. Flex IO Front – choose one of the following options: 1 SuperSpeed USB Type-C® 40Gbps signaling rate (1 charging), 1 SD 4.0 card reader. Flex IO Front - C® 20Gbps signaling rate (1 SW USB Power Delivery, Alt Mode DisplayPort [™]), 1 Thunderbolt [™] 3 with SuperSpeed USB Type-C® 40Gbps signaling rate (cabled to PCIe® AIC). Front: 1 SuperSpeed USB Type-C® 20Gbps signaling rate (cabled to PCIe® AIC). Front: 1 SuperSpeed USB Type-C® 20Gbps signaling rate (cabled to PCIe® AIC). Front: 1 SuperSpeed USB Type-C® 20Gbps signaling rate (cabled to PCIe® AIC). Front: 1 SuperSpeed USB Type-C® 20Gbps signaling rate (cabled to PCIe® AIC). Front: 1 SuperSpeed U



Specifications Table

Keyboard	HP Wired Desktop 320K keyboard; HP Wired Desktop 320MK Mouse and Keyboard; HP 125 Wired Keyboard; HP 655 Wireless Keyboard and mouse combo; HP 975 Wireless Keyboard; HP 455 Programmable Wireless Keyboard ⁹
Mouse	HP Wired Desktop 320M mouse; HP wired desktop 128 laser mouse; HP 125 Wired Mouse; HP Creator 935 Black Wireless Mouse ⁹
Communications	LAN: Intel® Ethernet Network Adapter I225-T1; Integrated Intel® I219-LM GbE; Intel® I350-T2 dual-port GbE NIC; Intel® I225-LM 2.5 GbE LOM, non-vPro®; Intel® X550-T dual-port 10GbE NIC; NVIDIA® Mellanox ConnectX-6 DX Dual Port 10/25GbE SFP28 NIC; WLAN: Intel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless card with external antenna; Intel® Wi-Fi 6 AX211 (2x2) and Bluetooth® 5.3 wireless card with internal antenna; Intel® Wi-Fi 7 BE200 (2x2) and Bluetooth® 5.4 wireless card, non-vPro®;
Drive Bays	External: One 3.5" HDD; One slim ODD; Internal: One 2.5" HDD; One 3.5" HDD; Three M.2 NVME 2280 SSD
Software	HP PC Hardware Diagnostics UEFI HP Support Assistant HP PC Hardware Diagnostics Windows ZCentral Remote Boost HP Image Assistant HP Manageability Integration Kit Performance Advisor 3.0 ^{15,16,17}
Security management	HP Secure Erase; HP Sure Click; HP BIOSphere Gen6; HP Sure Admin; Hood Sensor Optional Kit; HP Client Security Manager Gen6; HP Sure Start Gen7; HP Sure Recover Gen4; HP Sure Sense Gen2; HP Sure Run Gen5 ^{19,20,21,22,23,24,25,26,31}
Security Software Licenses	HP Wolf Pro Security Edition ⁵⁶
Management features	HP Driver Packs; HP Management Integration Kit for Microsoft System Center Configuration Management Gen4; HP System Software Manager (download); HP BIOS Configuration Utility (download) ¹⁸
Power	260 W 92% efficient, wide-ranging, active PFC; 550 W 92% efficient, wide-ranging, active PFC; 450 W 90% efficient, wide-ranging, active PFC ¹⁰
Dimensions	38.4 x 30.8 x 10 cm; (Standard desktop orientation.); 3.95 x 15.1 x 12.1 in; 10 x 38.4 x 30.8 cm (Package)
Weight	Starting at 5.0 kg; Starting at 13.1 lb; Starting at 5.9 kg (Package) ; (Exact weights depend upon configuration (System weight only))
Ecolabels	IT ECO Declaration; TCO Certified configurations available; EPEAT® Gold registered in the U.S. ¹³
Energy star certified	ENERGY STAR® certified
Sustainable impact specifications	Ocean-bound plastic in speaker enclosure; 45% post-consumer recycled plastic; 25% ITE-derived closed loop plastic; Bulk packaging available; 80 Plus® Gold power supplies available; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Ocean-bound plastic in speaker enclosure and system fan; Contains recycled metal
Compatible displays	All HP Z Displays and HP DreamColor Displays are supported. For more information see www.hp.com/go/zdisplays (Supports 8 displays, driving 8 displays requires the use of integrated and discrete graphics ports. Each source can drive a total of 4 displays. At least one of the integrated graphics ports need to drive two displays in a daisy chain configuration.)



Accessories and services (not included)





Messaging Footnotes

¹ HP Wolf Security for Business requires Windows 10 or higher, includes various HP security features and is available on HP Pro, Elite,

¹ HP Wolf Security for Business requires Windows 10 or higher, includes various HP security features and is available on HP Pro, Elite, RPOS and Workstation products. See product details for included security features and OS requirement.
² ML STD testing is not intended to demonstrate fitness for U.S. Department of Defense contract requirements or for military use. Test results are not a guarantee of future performance under these test conditions. Accidental Damage or damage under these test conditions requires an optional HP Accidental Damage Protection Care Pack.
³ Third party software soil separately.
⁴ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased before a UM and the future performance or dividence of Windows. Windows 10 Pro is automatically underted.

hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 11 Pro is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com. ⁵ Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily ⁵ Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance. ⁶ Intel VPro® requires Windows 10 Pro 64 bit or higher, a VPro supported processor, VPro enabled chipset, vPro enabled wired LAN and/or Wi-Fi 6E WLAN and TPM 2.0. Some functionality requires additional 3rd party software in order to run. Features of vPro® Essentials and Enterprise vary. See http://intel.com/vpro.

³ Gen over gen.

9 For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 36GB of system disk (for Windows

¹ Por storage drives, GB = 1 billion bytes. HE = 1 fillion bytes. Actual romatted capacity is less. Up to 36GB of system citsk (for Windows 11) is reserved for system receivery software.
 ¹⁰ Optional features that must be configured at purchase or are sold separately.
 ¹¹ HP Wolf Security for Business requires Windows 10 or higher, includes various HP security features and is available on HP Pro, Elite, RPOS and Workstation products. See product details for included security features and OS requirement.
 ¹² Compared to Performance Mode. Performance increase based on 22 Tower G9 with 64GB of memory, 1TB NVMe, Windows 11 22H2 OS, RTX A4000, I9-13900 CPU using SPECworkstation 3.1.

Technical Specifications Footnotes

¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purcha hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com

For detailed OS/hardware support information for Linux, see: http://www.hp.com/support/linux hardware matrix

¹⁵ For full Intel® vPro[™] functionality. Windows 11 Pro 64 bit, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN

and/or WLAN card and TPM 2.0 are required. Some functionality requires additional 3rd party software in order to run. See http://intel.com/vpro.

Intel Turbo Boost performance varies depending on hardware, software and overall system configuration. See

http://www.intel.com/technology/turboboost for more information

For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 36GB of system disk (for Windows

¹ For storage drives, GB = 1 billion bytes. T8 = 1 trillion bytes. Actual formatted capacity is less. Up to 36GB of system disk (for Windows 11) is reserved for system recovery software.
⁸ Flex IO port and one PCIe slot will be occupied when Thunderbolt is installed. About Thunderbolt compatibility, please refer to the FAQ of Thunderbolt community. https://www.thunderboltterboltgy.net/tech/faq.
⁹ Keyboard and Mouse are optional or add on refatures.
¹⁰ Specific chassis required for 550 W 92% efficient, wide-ranging, active PFC power supply.

¹¹ Duplication of copyrighted material is strictly prohibited. Actual speeds may vary. Double Layer media compatibility will widely vary with some home DVD players and DVD-ROM drives. Note that DVD-RAM cannot read or write to 2.6GB Single Sided/5.2 Double Sided

Version 1.0 Media

Version 1:0 media: ¹²⁹ With Bu-Ray, certain disc, digital connection, compatibility and/or performance issues may arise, and do not constitute defects in th product. Flawless playback on all systems is not guaranteed. In order for some Blu-ray titles to play, they may require a DVI or HDMI digital connection and your display may require HDCP support. HD-DVD movies cannot be played on this Desktop PC. ¹³ Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. EPEAT® status varies by country. Visit www.epeat.ne

HP ZCentral Remote Boost does not come preinstalled on Z Workstations but can be downloaded and run on all Z desktop and laptops without license purchase. With non-Z sender devices, purchase of perpetual individual license or perpetual floating license per simultaneously executing versions and purchase of ZCentral Remote Boost Software Support is required. RGS requires Windows, RHEL

simultaneously executing versions and purchase of Z-central remote boots Software support is required. NRGS requires withouts, NHEL (7 or 8), UBUNUT 18.04 LTS, or NPT ThinPro Operating systems. MacOS (10.13 or newer) operating system is only supported on the receiver side. Requires network access. The software is available for download at hp.com/ZCentralRemoteBoost. ¹⁶ HP Performance Advisor Software - HP Performance Advisor is ready and waiting to help you get the most out of your HP Workstation from day one—and every day after. Learn more or download at: https://www8.hp.com/us/en/workstations/performance-advisor.html ¹⁷ HP Support Assistant requires Windows and Internet access.

¹⁸ HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html
¹⁹ HP Client Security Manager Gen7 requires Windows and is available on the select HP PCs.

HP BIOSphere Gen6 features may vary depending on the platform and configurations

²¹ HP Sure Click requires Windows 10 Pro or higher or Enterprise. See https://bit.ly/2PrLT6A_SureClick for complete details ²² HP Sure Start Gen7 is available on select HP PCs and workstations. See product specifications for availability ²³ HP Sure Run Gen5 is available on select HP PCs and requires Windows 10 and higher.

Arr Sur Red Geno bavalaute on select hr PCs and requires windows 20 data higher. Ar PS sur RedGeno bavalaute on select hr PCs and requires an open network connection. You must back up important files, data, photos, videos, etc. before using HP Sure Recover to avoid loss of data. ³ HP Secure Erase for the methods outlined in the National Institute of Standards and Technology Special Publication 800-88 "Clear" sanitation method. HP Secure Erase does not support platforms with Intel® Optane™.

sanitation method. HP Secure trase does not support pratornice or prato-²⁶ HP Sure Sense requires Windows 11 Pro or Enterprise and supports Microsoft Internet Explorer, Google Chrome™, and Chromium™ Control C Supported attachments include Microsoft Office (Word, Excel, PowerPoint) and PDF files in read only mode, when Microsoft Office or Adobe Acrobat are installed.

⁷ A certified preloaded version of Ubuntu® 20.04 LTS is available from HP for this platform

²⁷ A certified preloaded version of Ubuntu® 20.04 LTS is available from HP for this platform.
²⁶ Wrieless access point and Internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi 6 (802.11ax) is backwards compatible with prior 802.11 specs. Wi-Fi 7 not available with 12th Gen Intel ADL processors; Wi-Fi 7 (802.11BE) functionality requires Windows 11 24H2, select Intel® processor, and a Wi-Fi 7 router, sold separately. Wi-Fi 7 is backwards compatible with pior 802.15 peecs. Available in countries where Wi-Fi 7 is supported.
²⁹ When slot 2 is configured with a PCIe card, slot 1 will automatically downgrade to PCIe x8 electrical.

³⁰ NVIDIA® T400 (2 GB GDDR6 dedicated) may go End of Life in late 2022.
³¹ HP Sure Admin requires Windows 10 or higher, HP BIOS, HP Manageability Integration Kit from

http://www.hp.com/go/clientmanagement and HP Sure Admin Local Access Authenticator smartphone app from the Android or Apple

store. ³² Due to the non-industry standard nature of some third-party memory modules, we recommend HP branded memory to ensure

²² Due to the non-industry standard nature of some third-party memory modules, we recommend HP branded memory to ensure compatibility. If you mix memory speeds, the system will perform at the lower memory speed. ⁵⁶ HP Wolf Pro Security Edition is available preloaded on select SKUs, and, depending on the HP product purchased, includes a licen: with a term length communicated to you at purchase and in your order confirmation email. The HP Wolf Pro Security Edition software i licensed under the license terms of the HP Wolf Pro Security Software – End-User license Agreement (EULA) that can be found at: ttps://support.hp.com/us-en/document/ish_3875769-3873014-16 as that EULA is modified by the following: 7, term. Unless otherwise

terminated earlier pursuant to the terms contained in this EULA, the license for the HP Wolf Pro Security Edition is effective upon 4 months after the date the HP Product was shipped by HP and will continue for the term communicated to you at purchase and in your monns after the date the HP Product was shipped by HP and will continue for the term communicated to you at purchase and in your order confirmation email ("Initial Term"). At the end of the Initial Term you may either (a) purchase a renewal license for the HP Wolf Pro Security Edition from HP.com, HP Sales or an HP Channel Partner, or (b) continue using the standard versions of HP Sure Click and HP Sure Sense at no additional cost with no future software updates or HP Support. Notwithstanding the foregoing, the license shall expire no later than one year after the fixed term of the subject license ends.

Sign up for updates hp.com/go/getupdated

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Intel, Pentium, the Intel logo, Intel Core, Thunderbolt, vPro, Optane, and Core Inside are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Bluetooth is a trademark of its proprietor, used by HP inc. under license. USB Type-C® and USB-C® are registered trademarks of USB implementers Forum. Adobe PDF is a trademark of Adobe Systems Incorporated. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. DisplayPort™ and the DisplayPort™ logo are trademarks of wideo Electronics Standards Association (VESA®) in the Umited States and other countries. NVIDIA, the NVIDIA logo. Quadro, and GeForce are trademarks of Advanced Micro Devices, Inc. All other Corporation in the US. and other countries. NVIDIA, the VIDIA logo are trademarks of Advanced Micro Devices, Inc. All other trademarks are the property of their respective owners