

D-Link DES-105 Unmanaged L2 Black

Brand : D-Link

Product code: DES-105/E

Product name : DES-105




5x 10/100 Mbps LAN, 1 Gbps, 2K MAC

D-Link DES-105. Switch type: Unmanaged, Switch layer: L2. Basic switching RJ-45 Ethernet ports quantity: 5. Full duplex. MAC address table: 2000 entries, Switching capacity: 1 Gbit/s. Networking standards: IEEE 802.1p, IEEE 802.3, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x. Power connector: DC-in jack

Management features		Other features	
Switch type *	Unmanaged	Dimensions (WxDxH)	100 x 98 x 28 mm
Switch layer	L2	Connectivity technology	Wired
Quality of Service (QoS) support	✓	Operational conditions	
Ports & interfaces		Operating temperature (T-T)	0 - 50 °C
Basic switching RJ-45 Ethernet ports quantity *	5	Storage temperature (T-T)	-10 - 70 °C
Power connector	DC-in jack	Operating relative humidity (H-H)	10 - 90%
Network		Storage relative humidity (H-H)	5 - 90%
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Weight & dimensions	
10G support *	✗	Weight	265 g
Copper ethernet cabling technology	100BASE-TX, 10BASE-T	Packaging data	
Full duplex	✓	Package width	170 mm
Flow control support	✓	Package depth	220 mm
Auto MDI/MDI-X	✓	Package height	62 mm
Data transmission		Package weight	450 g
Supported data transfer rates	10/100 Mbps	Technical details	
Switching capacity *	1 Gbit/s	Shipping (inner) case height	36.6 cm
MAC address table *	2000 entries	Shipping (inner) case width	23 cm
Store-and-forward	✓	Shipping (inner) case length	33.5 cm
Maximum data transfer rate	0.1 Gbit/s	Shipping (inner) case net weight	4.5 kg
Jumbo frames support	✓	Products per shipping (inner) case	10 pc(s)
Packet buffer memory	0.384 MB	Pallet gross weight (air)	434 kg
Security		Master (outer) cases per pallet (air)	75 pc(s)
MAC address filtering	✓	Products per pallet (air)	750 pc(s)
Design		Pallet gross length	120 cm
Rack mounting *	✗	Pallet gross width	110 cm
Product colour	Black	Pallet height (air)	2.04 m
Housing material	Metal	Pallet gross weight (sea)	434 kg
LED indicators	Link, Power	Master (outer) cases per pallet (sea)	75 pc(s)
Performance		Products per pallet (sea)	750 pc(s)
Mean time between failures (MTBF)	495709 h	Pallet height (sea)	2.04 m
Power		Shipping (inner) case gross weight	5.5 kg
Input current	1 A	Certificates	
Input voltage	5 V	Certification	RoHS, FCC Class B, ICES-003 Class B, CE Class B, C-Tick Class B, VCCI Class B, cUL, CB
Power consumption (typical)	1.9 W	Logistics data	
Power over Ethernet (PoE)		Harmonized System (HS) code	85176990
Power over Ethernet (PoE) *	✗		
Other features			
Data transfer rate	200 Mbit/s		



0790069368189



790069368189



4055895266532

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.