

HP Smart Tank Plus 555 Wireless All-in-One

Brand : HP

Product family: Smart Tank Plus

Product code: 1TJ12A

Product name : Smart Tank Plus 555 Wireless All-in-One

- Scan to PDF

- Print, scan, copy, wireless

- Print speed up to 11 ppm (black) and 5 ppm (colour)

- Up to 1200 x 1200 rendered dpi

Smart Tank Plus 555 Wireless All-in-One

HP Smart Tank Plus 555 Wireless All-in-One:

This cartridge-free printer delivers uncompromising quality and up to 3 years of ink included in the box. $^{\scriptscriptstyle [1]}$ Get faster connections with dual-band Wi-Fi,^[3] and easy mobile printing with HP Smart app.^[4]

HP Smart Tank Plus 555 Wireless All-in-One. Print technology: Thermal inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 5 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black, Grey

Printing		Network	
Printing Duplex printing mode Print resolution colour Print resolution black Print technology * Printing * Duplex printing * Maximum resolution * Print speed (black, normal quality, A4/US Letter) * Print speed (colour, normal quality, A4/US Letter)	Manual 4800 x 1200 DPI 1200 x 1200 DPI Thermal inkjet Colour printing 4800 x 1200 DPI 11 ppm 5 ppm	Network Wi-Fi * Wi-Fi standards Wi-Fi Direct Bluetooth Mobile printing technologies Performance Maximum internal memory Internal memory * Built-in processor	 ✓ 802.11b, 802.11g, Wi-Fi 4 (802.11n) ✓ ✓ Apple AirPrint, Google Cloud Print, Mopria Print Service 256 MB ✓
Print speed (black, draft quality, A4/US Letter)	22 ppm	Processor frequency Sound power level (printing)	800 MHz 6.5 dB
Print speed (colour, draft quality, A4/US Letter) Print speed (ISO/IEC 24734) black Print speed (ISO/IEC 24734) colour Time to first page (black, normal) Time to first page (colour, normal) Print margin top (min) Print margin top (min) Print margin left (min) Print margin right (min) Borderless printing	16 ppm 11 ppm 5 ppm 14 s 21 s 3 mm 3 mm 3 mm 3 mm √	Design Product colour * Market positioning * Built-in display * Display Display diagonal Control type Power Power consumption (ready) Power consumption (sleep)	Black, Grey Home & office ✓ LCD 5.08 cm (2") Buttons 3.12 W 0.75 W
Copying Duplex copying * Copying * Maximum copy resolution * Copy speed (black, normal quality, A4) Maximum number of copies Copier resize ID-card copy function Auto fit function Scanning	 Colour copying 600 x 600 DPI 10 cpm 99 copies 25 - 400% 	Power consumption (off) Energy Star Typical Electricity Consumption (TEC) AC input voltage AC input frequency Brand-specific features HP ePrint HP Photo Creations HP Auto-On/Auto-Off HP Software provided HP GTIN (EAN/UPC)	0.12 W 0.13 kWh/week 100 - 240 V 50/60 Hz ✓ ✓ ✓ HP Printer Software, HP Update 192545948531
Scanning *	Colour scanning		





Scanning		System requirements	
Optical scanning resolution * 1 Optical scanning resolution (black) 1 Optical scanning resolution (colour) 1 Maximum scan resolution 1	1200 x 1200 DPI 1200 x 1200 ppi 1200 x 1200 ppi 1200 x 1200 DPI 216 x 297 mm	Windows operating systems supported Mac operating systems supported	Windows 11, Windows 8.1, Windows 8, Windows 7, Windows 10 Mac OS X 10.13 High Sierra, Mac OS X 13.0 Ventura, Mac OS X 10.14 Mojave, Mac OS X 10.12 Sierra, Mac OS X 10.11 El Capitan
Scanner type *	Flatbed scanner	Operational conditions	
Scan technologyCISScan toSoftware, E-rScan speed (colour)3 ppmScan speed (black)5 ppm	Software, E-mail Server 3 ppm	Operating relative humidity (H-H) Recommended humidity operating range Storage temperature (T-T)	15 - 80% 20 - 80% -40 - 60 °C
Image formats supported Document formats supported Input colour depth	BMP, JPEG, PNG, TIFF PDF 24 bit	Operating temperature (T-T) Non-operating relative humidity (non-condensing)	5 - 40 °C 5 - 90%
Greyscale levels	256	Certificates	
Scan drivers	TWAIN		CISPR 32:2015/EN 55032:2015
Fax			Class B; CISPR24:2010/EN 55024:2010; EN 61000-3-2:2014;
Faxing * Features	×	Certification	EN 61000-3-3:2013; FCC CFR 47 Part 15B; ICES-003,2016 Issue 6; EN
Recommended duty cycle Maximum duty cycle *	400 - 800 pages per month 1000 pages per month		301 489-1 V2.1.1:2017; EN 301 489-17 V3.1.1:2017
Digital sender		Sustainability	
Ink tank system Number of print cartridges * Printing colours *	✔ 4 Black, Cyan, Magenta, Yellow	Sustainability certificates Sustainable technologies and materials	ENERGY STAR No
Page description languages	PCL 3 GUI	Carbon footprint	
All-In-One-multitasking Country of origin	China HP 32 90-ml Black Original Ink Bottle 1VV25AE; HP 31 70-ml Cyan Original Ink Bottle 1VU26AE; HP 31 70-ml Magenta Original Ink Bottle 1VU27AE; HP 31 70-ml Yellow Original Ink Bottle 1VU28AE; HP	Total carbon footprint (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, end-of-life (kg of	60 46 4
	32XL 135-ml Black Original Ink Bottle 1VV24AE. For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies	CO2e) Total carbon emissions, w/o use	4
HP segment	Home	Weight & dimensions	
Input & output capacity		Width	447 mm
Total number of input trays * Total input capacity * Total output capacity *	1 100 sheets 30 sheets	Depth Height Weight	373 mm 158 mm 5.14 kg
Maximum number of input trays Maximum input capacity	1 100 sheets	Packaging data	
Maximum output capacity Paper handling Maximum ISO A-series paper size	30 sheets	Package width Package depth Package height Package weight	495 mm 198 mm 480 mm 7.25 kg
Maximum print size	216 x 355 mm		7.23 Kg
Paper tray media types *	Envelopes, Glossy paper, Matte paper, Photo paper, Plain paper	Packaging content Cables included	AC
ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9)	A4, A6 B5	Warranty card Bundled software	HP Printer Software, HP Update, HP
Non-ISO print media sizes	Legal	Logistics data	Photo Creations
Envelopes sizes Borderless printing media sizes Custom media width Custom media length Paper tray media weight	B5, DL A4, Letter 76.2 - 215.9 mm 127 - 355.6 mm 60 - 300 g/m²	Harmonized System (HS) code Pallet gross weight Layers per pallet Products per pallet	84433100 435 g 5 pc(s) 60 pc(s)
Ports & interfaces		Technical details	
Direct printing * USB port	4	Master (outer) cases per pallet layer Other features	12 pc(s)
		Number of users	3 user(s)

Other features

Pallet dimensions (W \times D \times H)

Recommended system requirements

PictBridge Pallet dimensions (W x D x H) (imperial) Pallet weight (imperial) Number of print heads 1200 x 1000 x 2400 mm

Windows 11, Windows 10, 8.1, 8, 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer.

×

2

1199.9 x 1000 x 2397.5 mm (47.2 x 39.4 x 94.4") 434.5 kg (958 lbs)











Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.