

## Canon G650 Inkjet A4 4800 x 1200 DPI 3.9 ppm Wi-Fi

Brand : Canon Product code: 4620C008

**Product name:** G650

- Six dye-based inks
- Wireless printing
- 2 line LCD
- Rear feeding capacity
- Borderless photo printing
- Copy and scan
- High page yield

LCD, 50.5 dB, Wi-Fi IEEE802.11 b/g/n, 445 x 555 x 238 mm, 6.6 kg

## Canon G650 Inkjet A4 4800 x 1200 DPI 3.9 ppm Wi-Fi:

The Canon PIXMA G650 is perfect for printing large volumes of high-quality borderless photos up to A4 size in a studio, at home or in the office. Total cost of ownership is reduced with this high-volume printer thanks to the six refillable dye-based ink tanks that last longer between refills. When the time comes to change inks, the process is error-free and mess-free thanks to the non-squeeze bottles with mechanical ID. The maintenance cartridge is also simple to replace at home or in the studio, minimising downtime on busy days. You'll save time as you can print from your phone or tablet using the Canon PRINT App, Mopria or AirPrint, or connect via Wi-Fi to your devices.





Printing		Paper handling	
Duplex printing mode	Manual	Custom media length	89 - 1200 mm
Print technology *	Inkjet	Paper tray media weight	64 - 105 g/m²
Printing *	Colour printing	Ports & interfaces	
Duplex printing *  Maximum resolution *	√ 4800 x 1200 DPI	Direct printing *	✓
Print speed (black, normal quality,		USB port	<b>√</b>
A4/US Letter) *	3.9 ppm	USB connector	USB Type-B
Print speed (colour, normal quality, A4/US Letter)	3.9 ppm	USB 2.0 ports quantity	1
Borderless printing	1	Network	
, ,	•	Wi-Fi *	✓
Copying		Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Duplex copying *		Security algorithms	WEP, WPA-PSK, WPA2-PSK
Copying *	Colour copying A4 2.9 cpm	Performance	
Maximum copy size  Copy speed (black, normal quality,		Sound power level (printing)	50.5 dB
A4)		Design	
Maximum number of copies	99 copies	Product colour *	Black
Copier resize	25 - 400%	Market positioning *	Home & office
ID-card copy function	<b>V</b>	Built-in display *	1
Auto fit function	<b>~</b>	Display	LCD
Scanning		Colour display	×
Scanning *	Colour scanning	Power	
Optical scanning resolution *	600 x 1200 DPI	Power consumption (copying)	18 W
Scanner type *	Flatbed scanner CIS	Power consumption (standby)	1.2 W
Scan technology Input colour depth	16 bit	Power consumption (off)	0.2 W
Output colour depth	8 bit	Energy Star Typical Electricity Consumption (TEC)	0.18 kWh/week
Input greyscale depth	16 bit	AC input voltage	100 - 240 V
Output greyscale depth	8 bit	AC input frequency	50 - 60 Hz
Fax		System requirements	
Faxing *	×	Windows operating systems	Windows 10, Windows 7, Windows 8.1
Features		supported	Mac OS X 10.13 High Sierra, Mac OS
Duplex functions *	Copy, Print	Mac operating systems supported	X 10.14 Mojave, Mac OS X 10.15 Catalina
Ink tank system	✓		

Features		System requirements	
Number of print cartridges * Printing colours *	6 Black, Cyan, Grey, Magenta, Red, Yellow	Server operating systems supported	Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Input & output capacity		Mobile operating systems supported Other operating systems supported	
Total number of input trays * Total input capacity *	1 100 sheets	Operational conditions	
Paper handling		Operating relative humidity (H-H) Operating temperature (T-T)	10 - 90% 5 - 35 °C
Maximum ISO A-series paper size *	e * A4 Card stock, Glossy paper, High	Weight & dimensions	
Paper tray media types *	resolution paper, Iron-On Transfers, Matte paper, Photo paper, Plain paper, Rough paper, Semi-glossy paper	Width Depth Height	445 mm 555 mm 238 mm
ISO A-series sizes (A0A9) *	A4, A5, A6	Weight	6.6 kg
ISO B-series sizes (B0B9)	B5	Logistics data	
Envelopes sizes	C5, Com-10, DL, Monarch	Harmonized System (HS) code	84433100
Photo paper sizes Photo paper sizes (imperial)	5x5,10x15,13x18,18x25,20x25 3.5x3.5,4x6,5x7,7x10,8x10 10x15, 13x18, 20x25 55 - 216 mm	Other features	
Borderless printing media sizes Custom media width		Recommended system requirements	Windows: 1.5GB or more Note: for bundled software instal



4549292172652

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.