



BenQ LU935ST data projector Short throw projector 5500 ANSI lumens DLP WUXGA (1920x1200) Black

Brand : BenQ

Product code: 9H.JNC77.15E

Product name : LU935ST



DLP, 1920x1200, 5500 lm, HDMI, VGA, LAN, RS-232, USB, 100-240V, 416x166x351 mm
BenQ LU935ST. Projector brightness: 5500 ANSI lumens, Projection technology: DLP, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h. Aperture range (F-F): 1.83 - 1.86, Zoom ratio: 1.1:1, Throw ratio: 0.81 - 0.89. Analog signal format system: NTSC, PAL, SECAM, Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size, HDMI version: 2.0a

Projector		Ports & interfaces	
Projector brightness *	5500 ANSI lumens	AC (power) in	✓
Projection technology *	DLP	Network	
Projector native resolution *	WUXGA (1920x1200)	Smart TV *	✗
Contrast ratio (typical) *	3000000:1	Ethernet LAN *	✓
Native aspect ratio *	16:10	Ethernet LAN (RJ-45) ports	1
Number of colours	1.07 billion colours	Wi-Fi *	✗
Horizontal scan range	15 - 135 kHz	Storage	
Vertical scan range	24 - 120 Hz	Card reader integrated *	✗
Keystone correction, horizontal	-30 - 30°	Features	
Keystone correction, vertical	-30 - 30°	Interactive *	✗
Matrix size	1.22 cm (0.48")	Noise level (economic mode)	32 dB
Light source		Noise level *	39 dB
Light source type *	Laser	Multimedia	
Service life of light source *	20000 h	Built-in speaker(s) *	✓
Lens system		RMS rated power	20 W
Aperture range (F-F)	1.83 - 1.86	Number of built-in speakers	2
Zoom capability	✓	Design	
Zoom ratio	1.1:1	Market positioning *	Home cinema
Throw ratio	0.81 - 0.89	Product type *	Short throw projector
Horizontal lens shift range	-23 - 23%	Product colour *	Black
Vertical lens shift range	-60 - 60%	Display	
Offset	0%	Built-in display *	✗
Video		Power	
Analog signal format system *	NTSC, PAL, SECAM	Power source *	AC
Full HD *	✓	Power consumption (typical) *	440 W
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power consumption (standby) *	0.5 W
Ports & interfaces		Power consumption (max)	495 W
HDMI connector type	Full-size	AC input voltage	100 - 240 V
HDMI version	2.0a		
USB 2.0 ports quantity *	1		

Ports & interfaces		Weight & dimensions	
Audio (L/R) in *	1	Width	416 mm
Serial interface type *	RS-232	Depth	351 mm
VGA (D-Sub) ports quantity *	2	Height	166 mm
HDMI ports quantity *	2	Weight *	7 kg
DVI port *	✘	Packaging content	
		Remote control included *	✔
		Logistics data	
		Harmonized System (HS) code	85286200



4718755084188

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-NOV-2024. Prints or copies of Information are only valid on the printed Publication date