

LG OLED83C24LA.AEK TV 2.11 m (83") 4K Ultra HD Smart TV Wi-Fi Black

Brand: LG Product code: OLED83C24LA.AEK

Product name: OLED83C24LA.AEK

- LG 4K SELF-LIT OLED evo for the most advanced OLED picture quality
- Designed for an outstanding gaming, movie and sport viewing experience $% \left(1\right) =\left(1\right) \left(1\right) \left$
- HDMI 2.1 Spec, 1ms response time & low input lag for superfast gameplay
- Dolby Vision IQ for true-to-life picture & Dolby Atmos for immersive sound
- Smart platform with Freeview Play, Netflix, Disney+ and more

LG OLED C2 83" 4K Smart TV

LG OLED83C24LA.AEK. Display diagonal: 2.11 m (83"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: OLED, Screen shape: Flat. Smart TV. Motion interpolation technology: OLED Motion Pro, Response time: 1 ms, Native aspect ratio: 16:9. Digital signal format system: DVB-C, DVB-S, DVB-S, DVB-T, DVB-T2. Wi-Fi, Ethernet LAN. Product colour: Black











Display		Ports & interfaces	
Display diagonal * HD type * Display technology * Screen shape * Native aspect ratio * Response time Motion interpolation technology * Native refresh rate Display resolution * Display diagonal (metric) Rotating display TV tuner	2.11 m (83") 4K Ultra HD OLED Flat 16:9 1 ms OLED Motion Pro 120 Hz 3840 x 2160 pixels 210 cm	HDMI version Audio Return Channel (ARC) Mobile High-Definition Link (MHL) HDCP Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * Digital audio optical out RF ports quantity Common interface (CI) * Common interface Plus (CI+) * Common interface Plus (CI+) version	2.1
Tuner type * Digital signal format system *	Analog & digital DVB-C, DVB-S, DVB-S2, DVB-T, DVB- T2	HDMI ports quantity * Management features Voice control	4
Number of tuners Auto channel search Smart TV	1 tuner(s)	Electronic Programme Guide (EPG) Programming period On Screen Display (OSD)	8 day(s)
Smart TV * Internet TV * Operating system installed * Timeshift Screen mirroring Video on Demand (VOD) support Apple AirPlay 2 support Hybrid Broadcast Broadband TV	✓ ✓ WebOS ✓ ✓	Number of OSD languages ECO mode Sleep timer On/Off timer Firmware upgradeable Firmware upgradeable via Works with Amazon Alexa Works with the Google Assistant	37
(HbbTV) Far-field voice interaction	✓	Power Power consumption (typical) *	150 W

All 4, Amazon Prime Video, Apple ITV, BCC Mayor, BirtSox, Disney+ ITV, BCC Mayor, BCC Sounds, Spottly Apple Music, BBC Sounds, Spottly Spottly Apple Music, BBC Sounds, Spottly Spottly Apple Music,	Smart TV		Power	
TV, BBC Player, BritBbox Disney+ Freeview Play, 17 Hub. My5, Mort V, Verichic, Rakuten TV, Twitch, Yorlurbe Chemistry Production Chemistry Product Colour Product Colour Production Chemistry Product Colour Production Chemistry Product Colour Production Chemistry Product Colour Product Colour Production Chemistry Product Colour Production Chemistry Product Colour Production Chemistry Product Colour Product Colour Production Chemistry Product Colour Production Chemistry Product Colour Production Chemistry Product Colour Product Colour Product Colour Production Chemistry Product Colour Product Product Product Chemistry Product Colour Product Product Product Chemistry Product Pr		All 4 Amazon Prime Video Apple		0.5 W
			,	
Number of speakers	Video apps			
Music apps				
Audio Number of speakers* 4	Music apps		hours *	150 kWh
RMS rated power* 40 W AC input frequency 50 - 60 Hz Audio decoders Dolby Athos Energy saving mode 4 Enhanced Audio Return Channel (cARC) Weight & dimensions 4 to G Network Width (with stand) 1851 mm Wi-FI * V Depth (with stand) 1927 mm Wi-FI * V Height (with stand) 1927 mm Wi-FI * V Height (with stand) 1927 mm Wi-FI * V Width (with stand) 1927 mm Wi-FI * V Weight (with stand) 1851 mm Bluetooth ** V Width (without stand) 1851 mm Bluetooth version 5.0 Depth (without stand) 1851 mm Mracast V Weight (without stand) 192 mm Bluetooth version V Stand depth 27.9 cm Weight (without stand) 32.3 kg 190 mm Browsing V Stand width 19.9 cm Version Y Package width 2050 mm VESA mounting **<	Audio			314 kWh
Audio decoders Dolby Atmos Energy saving mode ✓ Sound modes At Sound Pro, Clear Voice Pro Energy efficiency scale A to G Enhanced Audio Return Channel (eARC) ✓ Weight & dimensions ▼ Wetwork Width (with stand) 1851 mm Depth (with stand) 1902 mm Wi-Fi 15 (802.11ac) Weight (with stand) 1902 mm 116 kg Bluetooth ** ✓ Width (with stand) 1851 mm Bluetooth version 5.0 Depth (without stand) 1851 mm Bluetooth version 5.0 Depth (without stand) 1851 mm Miracast ✓ Height (without stand) 1062 mm Miracast ✓ Stand width 119.9 cm Browsing ✓ Stand depth 27.9 cm Browsing ✓ Stand depth 27.9 cm Postage Verbowner ✓ Package width 28.5 mm Product colour * Black Package width 28.5 mm Panel mounting interface 400 x 400 mm Package weight <t< td=""><td>Number of speakers *</td><td>4</td><td>AC input voltage</td><td>100-240 V</td></t<>	Number of speakers *	4	AC input voltage	100-240 V
Sound modes Al Sound Pro, Clear Voice Pro Energy efficiency scale A to G Enhanced Audio Return Channel (eARC) Weight & dimensions (eARC) Width (with stand) 1851 mm Network Veight (with stand) 1979 mm Wi-Fi * Veight (with stand) 1092 mm Wi-Fi * Veight (with stand) 1092 mm Wi-Fi * Veight (with stand) 1851 mm Bluetooth * Veight (with without stand) 55.3 mm Bluetooth version 5.0 Depth (without stand) 55.3 mm Ethernet LAN * Veight (without stand) 1062 mm Miracast Very Canada (with) 119.9 cm Browsing Very Canada (with) 119.9 cm Browsing Very Canada (with) 119.9 cm Product colour * Black Packaging data 27.9 cm VESA mounting interface 400 x 400 mm Package width 2050 mm VESA mounting interface 400 x 400 mm Package weight 25 kg Rollabed display Yellow Vision IQ, High Dynamic Range (high Pro, Hybrid Log-Gama (HLC) <td>RMS rated power *</td> <td>40 W</td> <td>AC input frequency</td> <td>50 - 60 Hz</td>	RMS rated power *	40 W	AC input frequency	50 - 60 Hz
Enhanced Audio Return Channel (eARC) Weight & dimensions CeARC) Width (with stand) 1851 mm Network Upeth (with stand) 1851 mm Wi-Fi * Height (with stand) 1992 mm Wi-Fi * Height (with stand) 41.6 kg Bluetooth * V Width (without stand) 1851 mm Bluetooth version 5.0 Depth (without stand) 1851 mm Bluetooth version 5.0 Depth (without stand) 1851 mm Bluetooth version 5.0 Depth (without stand) 1002 mm Weight (without stand) 1002 mm 1002 mm Browsing V Stand width 119.9 cm Web browser V Stand width 119.9 cm Web browser V Package width 2050 mm Product colour * Black Package width 2050 mm VESA mounting interface 400 x 400 mm Package depth 285 mm Panel mounting interface 400 x 400 mm Package weight 56 kg Introduction year Post (PBR) Vi	Audio decoders	Dolby Atmos	Energy saving mode	✓
Metwork	Sound modes	Al Sound Pro, Clear Voice Pro	Energy efficiency scale	A to G
Network Wikfl (with stand) 1851 mm Wi-Fi* ✓ Heijoht (with stand) 279 mm Wi-Fi standards Wi-Fi 5 (802.11ac) Weight (with stand) 1092 mm Biluetooth* ✓ Width (with stand) 1851 mm Biluetooth version 5.0 Depth (without stand) 1851 mm Ethernet LAN* ✓ Height (without stand) 1852 mm Miracast ✓ Stand width 119.9 cm Web browser ✓ Stand width 119.9 cm Web browser ✓ Stand depth 27.9 cm Design Product colour* Black 27.9 cm Postagn Packaging data 25.5 mm YESA mounting* ✓ Package weight 285 mm Panel mounting interface 40x 400 mm Package beight 1210 mm Rollable display X Package weight 56 kg Introduction year 2022 Package weight 56 kg Introduction year 2002 pages Package beight 120 mm Lip		✓	Weight & dimensions	
Wi-Fi			Width (with stand)	1851 mm
Wi-Fi standards			Depth (with stand)	279 mm
Bluetooth			Height (with stand)	1092 mm
Bluetooth version			Weight (with stand)	41.6 kg
Ethernet LAN* 4 Height (without stand) 1062 mm Miracast 4 Weight (without stand) 32.3 kg Browsing 4 Stand width 119.9 cm Web browser 4 Stand depth 27.9 cm Design Foduct colour* Black Package width 2050 mm VESA mounting* 4 Package depth 285 mm Panel mounting interface 400 x 400 mm Package height 1210 mm Rollable display X Package veight 56 kg Introduction year 2022 Package type 80x Performance Package type 80x Performance Packaging content Y High Dynamic Range (HDR) Range 10 Pro (HDR10 Pro), Hybrid Log-Gamma (HLG) Desktop stand Mounting kit X Game mode 4 Remote control lincluded Y Teletext function 4 Remote control lincluded Y Teletext function 4 Femanual Y Video formats supported HEVC, VP9			Width (without stand)	1851 mm
Miracast			·	
Browsing ✓ Stand width 12.9 gm Web browser ✓ Stand depth 22.7 g cm Design Packaging data Product colour* Black Package width 2050 mm VESA mounting* ✓ Package depth 285 mm Panel mounting interface 400 x 400 mm Package height 1210 mm Rollable display X Package weight 56 kg Introduction year 2022 Package weight 56 kg Performance Packaging content Y Performance Packaging content Y Bigh Dynamic Range (HDR) Dolby Vision IQ, High Dynamic Range (HDR) and Pro (HDR10 Pro), Hybrid Log-Gamma (HLG) Desktop stand Mounting kit X Game mode ✓ Packaging content X X Teletext function ✓ Remote control included ✓ Subtites function ✓ Sunday X Video formats supported HEVC, VP9 Emanual X Subtites function ACAC3, AC3, AC4, EAC3, HE-AAC3, MP2 AGA ACA			-	
Neb browser Posign Product colour * Product colour * Packaging data Product colour * Package depth Package depth Package wight Package weight Package wei		V	3 ', '	32.3 kg
Pesign Packaging data 27.5 cm Product colour * Black Package width 2050 mm VESA mounting * ✓ Package depth 285 mm Panel mounting interface 400 x 400 mm Package height 1210 mm Rollable display X Package weight 56 kg Introduction year 2022 Packaging content High Dynamic Range (HDR) Dolby Vision IQ, High Dynamic Range (DPro (HDR10 Pro), Hybrid Log-Gamma (HLG) Desktop stand ✓ Game mode Packaging content X X Game mode Pesidop Gamma (HLG) Packaging content Fleigh Dynamic Range (HDR) Vision IQ, High Dynamic Range (HDR) of (HDR10 Pro), Hybrid Log-Gamma (HLG) Packaging content Game mode Performance Packaging content V Remote control included V Subtitute function V Samt Remote included V Video formats supported HEVC, VP9 E-manual V Aution formats supported LG Al Picture Pro Products per pallet 8 pc(s)	•	*		
Product colour * Black Package width 2050 mm VESA mounting *		*	Stand depth	27.9 cm
VESA mounting *			Packaging data	
Panel mounting interface 400 x 400 mm Package height 1210 mm Rollable display 2022 Package weight 56 kg Introduction year 2022 Package type 80x Performance Packaging content High Dynamic Range (HDR) Range 10 Pro (HDR10 Pro), Hybrid technology Range 10 Pro (HDR10 Pro), Hybrid Log-Gamma (HLG) Range 10 Pro (HDR10 Pro), Hybrid Log-Gamma (HLG) Range 10 Pro (HDR10 Pro), Hybrid technology Range 10 Pro (HDR10 Pro), Hybrid Log-Gamma (HLG) Range 10 Pro (HDR10 Pro), Hybrid Log-Gamma (HDG) Range 10 Pro (HDR10 Pro)		Black	Package width	2050 mm
Rollable display Introduction year 2022 Performance Package type Pac	•	400 400	Package depth	285 mm
Introduction year 2022 Package type Sox Performance Performance Package type Packag	-		Package height	
Performance High Dynamic Range (HDR) Echnology Dolby Vision IQ, High Dynamic Range 10 Pro (HDR10 Pro), Hybrid Log-Gamma (HLG) Game mode Teletext function Teletext function Teletext 2000 pages Subtitles function Video formats supported AAC, AC3, AC4, EAC3, HE-AAC, MP2 MP3, PCM, WMA, apt-X Backlight dimming technology High Dynamic Range (HDR) Subported * AMD FreeSync AMD FreeSync AMD FreeSync AMD FreeSync AMD FreeSync AMD FreeSync AMU FreeSync AMU FreeSync AMU FreeSync AMU FreeSync Auto Low Latency Mode (ALLM), Video upscaling Video upscaling Video upscaling AK GAC3, AC4, EAC5, HE-AC4, MP2 MP3, PCM, WMA, apt-X AWI FreeSync AMD FreeSync AMU FreeSync AMU FreeSync AMU FreeSync AVI Low Latency Mode (ALLM), Variable Refresh Rate (VRR) Video upscaling AK GAC3, AC4, EAC5, HE-AC6, MP2 MP3, PCM, WMA, apt-X AWI FreeSync AMD FreeSync AMD FreeSync AMD FreeSync AWI Low Latency Mode (ALLM), Variable Refresh Rate (VRR) AWI Clar AWI			5 5	56 kg
High Dynamic Range (HDR) Range 10 Pro (HDR10 Pro), Hybrid Log-Gamma (HLG) Game mode		2022	Package type	Вох
Range 10 Pro (HDR10 Pro), Hybrid Log-Gamma (HLG) Game mode Teletext function Teletext function Teletext 2000 pages Subtitles function Video formats supported AdC, AC3, AC4, EAC3, HE-AAC, MP2 MP3, PCM, WMA, apt-X Backlight dimming technology Picture processing technology High Dynamic Range (HDR) supported * AMD FreeSync AMD	Performance		Packaging content	
Fechnology Log-Gamma (HLG) Remote control included Remote control type Magic Remote with NFC Subtitles function Video formats supported HEVC, VP9 Audio formats supported AC, AC3, AC4, EAC3, HE-AAC, MP2, MP3, PCM, WMA, apt-X Backlight dimming technology Local Dimming Picture processing technology LG AI Picture Pro High Dynamic Range (HDR) supported * AMD FreeSync AMD F	3 , 3 , ,		Desktop stand	✓
Teletext function Teletext function Teletext function Video formats supported AAC, AC3, AC4, EAC3, HE-AAC, MP2, MP3, PCM, WMA, apt-X Backlight dimming technology Picture processing technology High Dynamic Range (HDR) supported* AMD FreeSync AMD Free	technology	• • • • • • • • • • • • • • • • • • • •		×
Teletext Unitarian Teletext 2000 pages Smart Remote included Soundbar included X Soundbar included X Soundbar included X E-manual AAC, AC3, AC4, EAC3, HE-AAC, MP2, MP3, PCM, WMA, apt-X Backlight dimming technology Picture processing technology Light Dynamic Range (HDR) supported * AMD FreeSync AMD FreeSync AMD FreeSync AMD FreeSync type FreeSync Premium NVIDIA G-SYNC Game features Auto Low Latency Mode (ALLM), Variable Refresh Rate (VRR) King and a control of the features AMD Free Sync Auto Low Latency Mode (ALLM), Variable Refresh Rate (VRR) King and the mode included X Soundbar included X Logistics data Products per pallet Layers per pallet Layers per pallet Country of origin South Korea Quantity per box 1 pc(s) 1 pc(s) Auto Low Latency Mode (ALLM), Variable Refresh Rate (VRR) K Ultra HD upscaling Video upscaling	Game mode	✓		V
Subtitles function Video formats supported HEVC, VP9 Audio formats supported AAC, AC3, AC4, EAC3, HE-AAC, MP2, MP3, PCM, WMA, apt-X Backlight dimming technology Picture processing technology High Dynamic Range (HDR) supported* AMD FreeSync	Teletext function	✓	• •	
Video formats supported Audio formats supported included		2000 pages		
Audio formats supported Audio formation Audio	Subtitles function	1		
Audio formats supported MP3, PCM, WMA, apt-X Backlight dimming technology Picture processing technology High Dynamic Range (HDR) supported * AMD FreeSync AMD FreeSync AMD FreeSync type NVIDIA G-SYNC Game features Auto Low Latency Mode (ALLM), Variable Refresh Rate (VRR) Video upscaling AM3, PCM, WMA, apt-XAC, MIP2, MP3, PCM, WMA, apt-X Logistics data Products per pallet 8 pc(s) 2 pc(s) A products per pallet Cayers per pallet Cayers per pallet 2 pc(s) Auto Low Latency Mode (ALLM), Variable Refresh Rate (VRR) Variable Refresh Rate (VRR) Auto Low Latency Mode (ALLM), Variable Refresh Rate (VRR)	Video formats supported	,		
Backlight dimming technology Picture processing technology High Dynamic Range (HDR) supported * AMD FreeSync AMD FreeSync type NVIDIA G-SYNC Game features Auto Low Latency Mode (ALLM), Variable Refresh Rate (VRR) Video upscaling Local Dimming Products per pallet Layers per pallet Layers per pallet 2 pc(s) Other features Other features Quantity per box Quantity per box Pressync Auto Low Latency Mode (ALLM), Variable Refresh Rate (VRR) Variable Refresh Rate (VRR) Products per pallet A products per pallet A pc(s) South Korea 1 pc(s) 1 pc(s)	Audio formats supported			^
High Dynamic Range (HDR) supported * AMD FreeSync AMD FreeSync FreeSync Premium NVIDIA G-SYNC Game features Auto Low Latency Mode (ALLM), Variable Refresh Rate (VRR) 4K Ultra HD upscaling Video upscaling	Backlight dimming technology	Local Dimming		0 (1/2)
High Dynamic Range (HDR) supported * AMD FreeSync	Picture processing technology	LG AI Picture Pro	• •	
AMD FreeSync AMD FreeSync type FreeSync Premium Quantity per box 1 pc(s) NVIDIA G-SYNC Game features Auto Low Latency Mode (ALLM), Variable Refresh Rate (VRR) 4K Ultra HD upscaling Video upscaling Video upscaling		✓		2 pc(S)
AMD FreeSync type NVIDIA G-SYNC Game features Auto Low Latency Mode (ALLM), Variable Refresh Rate (VRR) 4K Ultra HD upscaling Video upscaling Video upscaling	• •	√		South Koros
NVIDIA G-SYNC Game features Auto Low Latency Mode (ALLM), Variable Refresh Rate (VRR) 4K Ultra HD upscaling Video upscaling Video upscaling	•	FreeSync Premium	, ,	
Game features Auto Low Latency Mode (ALLM), Variable Refresh Rate (VRR) 4K Ultra HD upscaling √ Video upscaling √		√	Qualitity per box	τ μς(5)
Video upscaling ✓				
	4K Ultra HD upscaling	✓		
USB recording ✓	• =	✓		
	USB recording	✓		



8806091619303

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.