## Samsung 32" M80D UHD White Smart Monitor with Speakers and Remote

**Brand :** Samsung **Product family:** Smart Monitor **Product code:** LS32DM801UUXXU

**Product name :** 32" M80D UHD White Smart Monitor with Speakers and Remote

- Instant access to your favourite OTT content
- Unlock the full potential of a 4K screen when streaming content directly on your monitor with Al upscaling
- Catch every detail in your favourite shows with 4K & HDR 10+
  32" M80D UHD White Smart Monitor with Speakers and Remote
  Samsung 32" M80D UHD White Smart Monitor with Speakers and Remote. Display diagonal: 81.3 cm
  (32"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED, Respon

(32"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 2.0. VESA mounting, Height adjustment. Product colour: White







Display		Ergonomics	
Display diagonal *	81.3 cm (32")	Tilt angle range	-2 - 15°
Display resolution *	3840 x 2160 pixels	Power	
HD type * Native aspect ratio * Display technology * Panel type * Touchscreen * Display brightness (typical) Display brightness (min) Response time * Screen shape * Contrast ratio (typical) * Maximum refresh rate *	4K Ultra HD 16:9 LED VA  400 cd/m² 300 cd/m² 4 ms Flat 3000:1 60 Hz	Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours * Energy consumption (HDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) AC input voltage Power supply type	F G 31 kWh 72 kWh 31.4 W 0.5 W 140 W 100 - 240 V External
Viewing angle, horizontal Viewing angle, vertical Display number of colours *	178° 178° 1 billion colours	Energy efficiency scale European Product Registry for Energy Labelling (EPREL) code	A to G 1949502
Viewable size, horizontal	69.7 cm	Operational conditions	
Viewable size, vertical Display diagonal (metric)	39.2 cm 80 cm	Operating temperature (T-T) Operating relative humidity (H-H)	10 - 40 °C 10 - 80%
High Dynamic Range (HDR) supported	✓	Weight & dimensions	
High Dynamic Range (HDR) technology Colour gamut standard Colour gamut	High Dynamic Range 10 (HDR10), High Dynamic Range 10+ (HDR10 Plus) sRGB 99%	Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand)	713.4 mm 200.1 mm 616.2 mm 7.2 kg 713.4 mm
Performance		Depth (without stand)	24.5 mm
NVIDIA G-SYNC * AMD FreeSync *	×	Height (without stand) Weight (without stand)	423.8 mm 4.2 kg
Flicker-free technology  Game mode  Game features  Operating system installed  V  Tizen	Packaging data Stand type Package width Package depth	HAS stand 925 mm 485 mm	
Multimedia		Package height	132 mm
RMS rated power Built-in speaker(s) *	10 W ✓	Package weight	10.4 kg

Adaptive Sound Control (ASC)  Built in camera*  V Cables included  AC, HDMI, USB Type-C  Power adapter included  AC, HDMI, USB Type-C  Power adapter included  V AC, HDMI, USB Type-C  Power cable length  V AC, HDMI, USB Type-C  Power cable length  I.5 m  Camera included  V AC, HDMI, USB Type-C  Colour name  Ports & interfaces  Built-in USB hub*  V Brand specific technologies  Built-in USB hub Version  I.0 Sound mirroring  V Sereen mirrorin	Multimedia		Packaging content	
Built-in camera *		1		J
Design         Power adapter included         Validation of Market positioning *         Smart Product colour *         Remote control included with pool of the pool of the dadpter included or pool of the dadpter included with pool of the pool of the dadpter included with pool of the pool of the dadpter included with pool of the	Built-in camera *	·		
Market positioning * Smart Pogo gender adapter included Villet Colour * White Pogo gender adapter included Villet Colour * White Quick start guide Villet Power cable length 1.5 m Power cable lengt	Dosign		Power adapter included	• •
Product colour * White	-	Cmart	Remote control included	✓
Colour name	, ,		Pogo gender adapter included	✓
Feet colour  White  Camer included  Camera included  Cheer features  Built-in USB hub*  Camera included  Cheer features  Cheer features			Quick start guide	✓
Ports & Interfaces  Built-in USB hub *	Feet colour		· ·	
Built-in USB hub * V USB hub version 2.0 Sound mirroring V USB Type-C Screen mirroring V USB Type-A downstream ports 1 TV Plus V SmartThings app support V USB Power Delivery (USB PD) V USB Power Delivery uto 65 W HDMI * V HDMI version V USB Power Delivery uto V HDMI version V HDMI version V HDMI version V HCP V HOCP V HCP	Ports & interfaces		Camera included	✓
USB nub version  2.0 Sound mirroring  Version port type USB Type-C Sound mirroring Version port type USB Type-C Sound mirroring Version port Version Ver			Other features	
USB Upstream port type  Number of upstream ports  1 Screen mirroring  Vye-A downstream ports  2 SmartThings app support  Works with Samsung Bixby  VSB Power Delivery (USB PD)  VSB Power Delivery up to  65 W  Tap view  Virtual assistant  Multi View  Virtual assistant  HDMI ports quantity  1 Multi View  Vorsswing Eye Saver Mode  Adaptive picture  VBDCP  VAAdaptive picture  VIFIC Samsung Bixby  Virtual assistant  Amazon Alexa  Amazon A			Brand specific technologies	Eye Saver
Number of upstream ports  USB Type-A downstream ports  USB Type-A downstream ports  USB Power Delivery (USB PD)  USB Power Delivery up to  65 W  Tap view  Works with Samsung Bixby  HDMI *  HDMI ports quantity  1  Consumer Electronics Control (CEC)  Anynet+  Headphone out *  HDCP  HDCP			Sound mirroring	✓
USB Type-A downstream ports quantity  USB Power Delivery (USB PD)  USB Power Delivery up to  65 W  Tap view  Virtual assistant  Multi View  HDMI ports quantity  1  Consumer Electronics Control (CEC)  Anynet+  Headphone out *  HECP  HDCP  HDCP version  DC-in jack  Virels and sisplay  Network  Wi-Fi  Wi-Fi Selocation			Screen mirroring	1
quantity		<del>-</del>		1
Tap view  Virtual assistant  Amazon Alexa  HDMI ports quantity  1  HDMI version  2.0  Consumer Electronics Control (CEC)  Anynet+  Headphone out *  HDCP  HDCP version  2.2  Image size  Wireless display  Factory tunning  Gaming Hub/Game Bar included on selected markets  Wi-Fi 5 (802.11ac)  Smart calibration  Bluetooth  Bluetooth  Bluetooth version  5.2  Knox vault  Workspace  Virtual AlM point  My contents  Version  Network  Wireless display  Factory tunning  Gaming Hub/Game Bar included on selected markets  Virtual AlM point  Version  Ve	quantity	2	SmartThings app support	1
Wi-Fi standards Wi-Fi 5 (802.11ac) Smart calibration Smart calibration Smart calibration Smart calibration Smart calibration Workspace Virtual AlM point Workspace Virtual adjustment * Workspace View of Wireless disjustment * Workspace Virtual AlM point Why contents Virtual Alm point Whether with the Martin Alexa Amazon Alexa Ama	USB Power Delivery (USB PD)	✓	• •	✓
Multi View  HDMI ports quantity  1	USB Power Delivery up to	65 W	•	✓
HDMI version 2.0 Consumer Electronics Control (CEC) Anynet+ Headphone out * X Samsung Eye Saver Mode	HDMI *	✓		
Headphone out *	HDMI ports quantity	1		•
HCCP	HDMI version	2.0		
HDCP version 2.2 Image size	Headphone out *	X	- ·	
DC-in jack  Network  Wi-Fi Wi-Fi standards Bluetooth Bluetooth version  S-2  Ergonomics  VESA mounting * Panel mounting interface Height adjustment * Height adjustment Pivot Pivot Pivot Pivot angle  VESA MOUNTING  Vireless display  Factory tunning Gaming Hub/Game Bar included on selected markets Smart calibration  VESA to selected markets Smart calibration VET marketplaces Nifty Gateway VET More vault VET More vault VET More vault VET More vault VET MORE VET	HDCP	✓	• •	•
Network  Network  Wi-Fi  Wi-Fi  Wi-Fi standards  Wi-Fi 5 (802.11ac)  Bluetooth  Bluetooth version  5.2  Knox vault  Workspace  Virtual AIM point  Height adjustment  Height adjustment  Pivot  Pivot angle  Factory tunning  Gaming Hub/Game Bar included on selected markets  Nifty Gateway  NFT marketplaces  Nifty Gateway  Nifty Gateway  Nifty Gateway  Norw vault  Workspace  Virtual AIM point  My contents  Yes ontents	HDCP version	2.2		<b>V</b>
Network  Wi-Fi Wi-Fi standards Wi-Fi 5 (802.11ac) Smart calibration Wi-Fi marketplaces Wi-Fi standards Wi-Fi 5 (802.11ac) Smart calibration Wi-Fi marketplaces Nifty Gateway  NFT marketplaces Nifty Gateway  Workspace Virtual AIM point My contents  Wy contents  Wy contents  Wy contents  Wy contents  Workspace Virtual AIM point My contents  Workspace Virtual AIM point My contents  Workspace Virtual AIM point My contents	DC-in jack	✓	· •	<b>V</b>
Wi-Fi Wi-Fi standards Wi-Fi 5 (802.11ac) Smart calibration Wi-Fi standards Wi-Fi 5 (802.11ac) Smart calibration Wifty Gateway Nifty Gateway  NFT marketplaces Nifty Gateway  Nox vault  Workspace Virtual AIM point My contents  We contents  Height adjustment  12 cm  Pivot Pivot angle  -92 - 92°	Network		, s	•
Bluetooth    Bluetooth version    Bluetooth    Blu	Wi-Fi	✓		1
Bluetooth version 5.2 Knox vault  Workspace  VESA mounting *  Panel mounting interface 100 x 100 mm  Height adjustment *  Height adjustment 12 cm  Pivot  Pivot angle -92 - 92°	Wi-Fi standards	Wi-Fi 5 (802.11ac)	Smart calibration	1
Workspace VESA mounting * Venue I mounting interface 100 x 100 mm Height adjustment * Height adjustment 12 cm Pivot Pivot angle  Workspace Virtual AIM point My contents   Venue I mounting interface  Venue I mounting interface  100 x 100 mm  My contents  Venue I mounting interface	Bluetooth	✓	NFT marketplaces	Nifty Gateway
Virtual AIM point  VESA mounting *  Panel mounting interface  100 x 100 mm  Height adjustment *  Height adjustment  12 cm  Pivot  Pivot angle  Virtual AIM point  My contents   V  Y  Pyort angle  Virtual AIM point  My contents	Bluetooth version	5.2		✓
VESA mounting *	Ergonomics			1
Panel mounting interface 100 x 100 mm  Height adjustment *   Height adjustment 12 cm  Pivot   Pivot angle -92 - 92°	VESA mounting *	<b>√</b>		✓
Height adjustment 12 cm  Pivot   ✓  Pivot angle  -92 - 92°	Panel mounting interface	100 x 100 mm	My contents	✓
Pivot   ✓ Pivot angle   -92 - 92°	Height adjustment *	✓		
Pivot   ✓ Pivot angle   -92 - 92°	Height adjustment	12 cm		
•	Pivot	✓		
Tilt adjustment ✓	Pivot angle	-92 - 92°		
	Tilt adjustment	✓		



8806095533544

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.