



HP E-Series E24 G4 FHD Monitor

Brand : HP

Product family: E-Series

Product code: 9VF99AA

Product name : E24 G4 FHD Monitor

- Keep your eyes comfortable through the work day with HP Eye Ease, our first built-in, always-on blue light filter that has zero impact on your color accuracy and works without an OSD.
 - Never lose a moment of productivity with 4-way monitor adjustability, a 3-sided micro-edge, flicker-free 23.8" (60.45 cm) screen, and Full HD resolution.
 - Energy efficiency is built into every ENERGY STAR® certified, EPEAT® 2020 registered⁽³⁾, and low halogen⁽⁴⁾ display. We go one step further with 100% recyclable packaging.
- E24 G4 FHD Monitor

HP E-Series E24 G4 FHD Monitor:

Enhance your entire viewing experience Work comfortably and stay focused with the optimized ergonomics and Full HD resolution of the HP E24 G4 FHD Monitor with HP Eye Ease that is designed around you. Make life easy for IT with remote manageability.



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Tilt angle range	-5 - 23°
Display resolution *	1920 x 1080 pixels	On Screen Display (OSD)	✓
HD type *	Full HD	Power	
Native aspect ratio *	16:9	Energy efficiency class (SDR) *	D
Display technology *	LED	Energy efficiency class (HDR) *	D
Panel type *	IPS	Energy consumption (SDR) per 1000 hours *	14 kWh
Touchscreen *	✗	Power consumption (typical) *	26 W
Display brightness (typical)	250 cd/m ²	Power consumption (standby) *	0.5 W
Response time *	5 ms	Power consumption (max)	51 W
Display surface	Matt	Power consumption (off)	0.23 W
Anti-glare screen	✓	AC input voltage	100 - 240 V
Screen shape *	Flat	Power supply type	Internal
	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800, 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA)	Energy efficiency scale	A to G
Supported graphics resolutions		European Product Registry for Energy Labelling (EPREL) code	363612
Aspect ratio	16:9	Operational conditions	
Contrast ratio (typical) *	1000:1	Operating temperature (T-T)	5 - 35 °C
Contrast ratio (dynamic)	5000000:1	Operating relative humidity (H-H)	0 - 95%
Maximum refresh rate *	60 Hz	Storage relative humidity (H-H)	20 - 80%
Viewing angle, horizontal	178°	Weight & dimensions	
Viewing angle, vertical	178°	Width (with stand)	539.4 mm
Display number of colours *	16.7 million colours	Depth (with stand)	207 mm
Pixel pitch	0.274 x 0.274 mm	Height (with stand)	494.9 mm
Pixel density	93 ppi	Weight (with stand)	5.7 kg
Horizontal scan range	30 - 80 kHz	Width (without stand)	539.4 mm
Vertical scan range	50 - 60 Hz	Depth (without stand)	47 mm
Viewable size, horizontal	52.7 cm	Height (without stand)	323.3 mm
Viewable size, vertical	29.6 cm	Packaging data	
Display diagonal (metric)	60.5 cm	Package width	611 mm
Surface hardness	3H	Package depth	223 mm

Display		Packaging data	
Colour depth	8 bit	Package height	392 mm
Colour gamut standard	NTSC	Package weight	8.4 kg
Colour gamut	72%	Package type	Box
NTSC coverage (typical)	72%	Packaging content	
Display bezel technology	Micro-Edge	Stand included	✓
Performance		Cables included	AC, DisplayPort, HDMI, USB Type-A to USB Type-B
NVIDIA G-SYNC *	✗	Bundled software	HP Display Center; HP Display Manager
AMD FreeSync *	✗	Sustainability	
Flicker-free technology	✓	Sustainability compliance	✓
Low Blue Light technology	✓	Sustainability certificates	ENERGY STAR
Multimedia		Carbon footprint	
Built-in speaker(s) *	✗	Total carbon footprint (kg of CO2e)	190
Built-in camera *	✗	Carbon emissions, manufacturing (kg of CO2e)	115
Design		Carbon emissions, logistics (kg of CO2e)	3
Market positioning *	Business	Carbon emissions, end-of-life (kg of CO2e)	3
Product colour *	Black	Total carbon emissions, w/o use phase (kg of CO2e)	64
Detachable stand	✓	Other features	
Ports & interfaces		Weight	5.7 kg
Built-in USB hub *	✓	UNSPSC-code	43211902
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Height	323.3 mm
USB upstream port type	USB Type-B	Width	539.4 mm
Number of USB Type-B upstream ports quantity	1	Depth	47 mm
USB Type-A downstream ports quantity	4	Compliance certificates	BIS, BSMI, CB, CCC, CE, CECP, CEL, EAC, Federal Communications Commission (FCC), KCC, Norma Oficial Mexicana (NOM), VCCI, WEEE, cTUVus
VGA (D-Sub) ports quantity	1	Certification	WEEE; ISC; VCCI; Vietnam MEPS; TUV-S; PSB; CEL Grade 2; NOM; SEPA; UAE; WW application; ICE; cTUVus; EAC; BSMI; CB; CCC; BIS; Australian-New Zealand MEPS; CE; CECP; CEL; KC/KCC; FCC; ISO 9241-307; ISE for Cambodia
HDMI *	✓	Brand-specific features	
HDMI ports quantity	1	HP GTIN (EAN/UPC)	194850079818
HDMI version	1.4	Technical details	
DisplayPorts quantity	1	General Product Safety Regulation (GPSR) URL	https://support.hp.com/us-en/document/ish_6126692-6126777-167openCLC=true
DisplayPort version	1.2	Logistics data	
Audio input	✗	Harmonized System (HS) code	85285210
Headphone out *	✗		
HDCP	✓		
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Height adjustment *	✓		
Height adjustment	15 cm		
Pivot	✓		
Pivot angle	-90 - 90°		
Swivelling	✓		
Swivel angle range	-45 - 45°		
Tilt adjustment	✓		



0194850079849



194850079849



0194850811913




194850811913



0194850811852



194850811852



0194850811906



194850811906



0194850079832



194850079832



0194850811845



194850811845



0194850079870



194850079870



0194850811821




194850811821



0194850811869




194850811869



0194850811890



194850811890



0194850811838



194850811838



0194850293689



194850293689



0194850811883



194850811883



0194850293696



194850293696



0194850079825



194850079825



0194850079818



194850079818



0194850079863



194850079863



0194850079856



194850079856



0194850293702



194850293702



0194850293719



194850293719



0194850811876



194850811876



4580511739157

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.