

BenQ ST4302S Digital signage flat panel 109.2 cm (43") LCD 400 cd/m² 4K Ultra HD Black Built-in processor Android 8.0

Brand: BenQ Product code: 9H.F7GPT.RA4

Product name: ST4302S

- View vivid images on a 4K UHD display
- Ready-to-use with its built-in Android™ OS
- Flip the display for portrait or landscape viewing
- Easily create content using custom X-Sign templates

43" Professional Smart Signage

BenQ ST4302S Digital signage flat panel 109.2 cm (43") LCD 400 cd/m 2 4K Ultra HD Black Built-in processor Android 8.0:

Superior Picture Quality Every Time

4K UHD Clarity

Enjoy crisp and colorful images with the ST series. 4K UHD resolution brings excellent clarity and readability to any space

Built-In Android OS

Use the built-in Android OS to access files, display content and start presentations without connecting other devices.

BenQ ST4302S. Product design: Digital signage flat panel. Display diagonal: 109.2 cm (43"), Display technology: LCD, Display resolution: 3840×2160 pixels, Display brightness: 400 cd/m^2 , HD type: 4K Ultra HD. Operating system installed: Android 8.0. Product colour: Black







Display		Design	
Panel type	IPS	Panel mounting interface	200 x 200 mm
Display diagonal *	109.2 cm (43")	Performance	
Display technology *	LCD	Purpose *	Corporate
Display resolution *	3840 x 2160 pixels	·	55,65,55
Display brightness *	400 cd/m ²	Power	
HD type *	4K Ultra HD	Power consumption (typical) *	110 W
Touchscreen *	×	Power consumption (standby) *	0.5 W
Native aspect ratio	16:9	Energy efficiency class (SDR)	G
Response time Contrast ratio (typical)	8 ms 1200:1	Energy consumption (SDR) per 10 hours	⁰⁰⁰ 110 kWh
Active display area (W x H)	941.2 x 529.4 mm	AC input voltage	100 - 240 V
Panel life	30000 h	AC input frequency	50 - 60 Hz
RGB colour space	NTSC	Energy efficiency scale	A to G
Ports & interfaces		Computer system	
HDMI ports quantity *	2	Computer system *	✓
HDMI version	2.0	Built-in processor *	✓
HDMI input ports quantity	2	Processor architecture	ARM Cortex-A53+Cortex-A73
DVI port *	<u>-</u>	Internal memory	3 GB
VGA (D-Sub) input ports	1	Internal storage capacity	16 GB
USB port *	·	Operating system installed	Android 8.0
USB ports quantity	2	Weight & dimensions	
USB version	2.0	Display width	973 mm
Ethernet LAN *	✓	Display depth	63.5 mm
Ethernet LAN (RJ-45) ports	1	Display height	561.2 mm
Ethernet LAN data rates	10,100 Mbit/s	Display weight	10.7 kg
Wi-Fi *	×	. , ,	20.7 Ng
PC Audio in	✓	Packaging data	
Card reader integrated	✓	Package width	1070 mm
Compatible memory cards	MicroSD (TransFlash)	Package depth	173 mm

Ports & interfaces		Packaging data	
PC Audio out	✓	Package height	680 mm
Audio		Package weight	14.3 kg
Built-in speaker(s) *	✓	Packaging content	
Number of built-in speakers	2	Remote control included	✓
RMS rated power	20 W	Cables included	HDMI
Design		Operational conditions	
Product design *	Digital signage flat panel	Operating temperature (T-T)	0 - 40 °C
Placement supported *	Indoor	Operating relative humidity (H-H)	10 - 80%
Orientation	Horizontal/Vertical	Storage temperature (T-T)	-20 - 60 °C
Product colour *	Black	Storage relative humidity (H-H)	20 - 90%
VESA mounting *	✓		

