

USB-C to USB-A Adapter, USB 5Gbps, Compact USB-C Male to USB-A Female Adapter, Durable Metal Housing, M/F

Product ID: USB31CAADGCP



Connect a USB-A device to a USB-C laptop or convert a USB-A cable to Type-C, using this compact USB-C to USB-A Male to Female adapter. The connector markings enable quick visual identification, distinguishing this adapter from other similar-looking or unmarked USB-C adapters. Eliminate guesswork and always choose the appropriate adapter that supports USB 5Gbps.

The USB-C to USB-A adapter is universally compatible with any Operating System. Simple plug-and-play setup enables instant deploymnent. The adapter supports USB 5Gbps and USB 2.0 (480Mbps), and facilitates up to 5V/3A output from a powered USB-C connection such as a wall charger. This enables up to 15W charging to a USB-A device from a USB-C source. Please note that USB-C video and Power Delivery are not supported.

The USB C to A adapter has a durable aluminum alloy housing that protects against wear and tear. The nickel-plated connectors are designed for daily use, and features gold-tipped contacts to minimize signal loss for long-lasting reliability and performance.

## Certifications, Reports and Compatibility



## **Applications**

- Connect a USB-A device to a USB-C laptop or host
- Charge a USB-A device with up to 15W from a USB-C charger or port
- Slim, compact housing is durable and will not obstruct adjacent ports





## **Features**

- USB-C to USB-A ADAPTER: Use this slim and compact USB Type-C Male to Type-A Female adapter to convert and connect a USB-A peripheral device to a USB-C host; Connector markings with data/power specs for easy identification at-a-glance
- QUALITY CONSTRUCTION: Aluminum alloy outer housing enhances durability and wear protection; Slim design prevents the obstruction of adjacent device ports; Nickel-plated connectors with gold-tipped contacts ensure consistent data throughput
- RELIABLE TRANSMISSION: USB-C to USB-A adapter supports 5Gbps data transfer; Backward compatibility with USB 480Mbps (USB 2.0) for legacy devices; Supports up to 5V/3A output from a USB-C charger; NOTE: USB-C video and Power Delivery are not supported
- COMPATIBILITY: Versatile compatibility with USB-A cables and devices; Supports USB-C laptops and portable devices; Charge a portable USB-A device from a USB-C charger (up to 15W); NOTE: Please confirm compatibility between the USB-A device and USB-C host
- QUICK INSTALLATION: Simple plug-and-play design requires no driver for quick and hassle-free setup; Works on any Operating System; Install the adapter directly to a USB-A male connection and connect to a USB-C host or hub

| Hardware      |                               |   |
|---------------|-------------------------------|---|
|               | Warranty                      | 2 Years                                   |
|               | Active or Passive Adapter     | Passive                                   |
|               | Ports                         | 1   |
|               | Connector Plating             | Nickel                                    |
| Performance   |                               |   |
|               | Maximum Data Transfer<br>Rate | 5Gbps                                     |
| Connector(s)  |                               |   |
|               | Connector A                   | 1 - USB 3.2 Type-C (24 pin, Gen 1, 5Gbps) |
|               | Connector B                   | 1 - USB 2.0 Type-A (4 pin, 480Mbps)       |
| Power         |                               |   |
|               | Input Voltage                 | 5V DC                                     |
|               | Input Current                 | 3A  |
| Environmental |                               |   |
|               | Operating Temperature         | 0 to 40 (32&degF to 104&degF)             |





|                             | Storage Temperature          | -10 to 70 (14&degF to 158&degF)  |
|-----------------------------|------------------------------|----------------------------------|
|                             | Humidity                     | 10%~90%                          |
| Physical<br>Characteristics |                              |                                  |
|                             | Color                        | Black                            |
|                             | Connector Style              | Straight                         |
|                             | Product Length               | 1.1 in [2.7 cm]                  |
|                             | Product Width                | 0.6 in [1.6 cm]                  |
|                             | Product Height               | 0.3 in [8.2 mm]                  |
|                             | Weight of Product            | 0.1 oz [4.0 g]                   |
| Packaging<br>Information    |                              |                                  |
|                             | Package Length               | 4.9 in [12.5 cm]                 |
|                             | Package Width                | 3.5 in [9.0 cm]                  |
|                             | Package Height               | 0.2 in [5.0 mm]                  |
|                             | Shipping (Package)<br>Weight | 0.2 oz [4.3 g]                   |
| What's in the Box           | Included in Package          | 1 - USB-C to USB-A Adapter - M/F |

<sup>\*</sup>Product appearance and specifications are subject to change without notice.