

## StarTech.com 2 Port USB VGA Cable KVM Switch - USB Powered with Remote Switch

**Brand :** StarTech.com

**Product code:** SV211USB

**Product name :** 2 Port USB VGA Cable KVM Switch - USB Powered with Remote Switch



StarTech.com 2 Port USB VGA Cable KVM Switch - USB Powered with Remote Switch - KVM with VGA - Dual Port VGA KVM Switch

StarTech.com 2 Port USB VGA Cable KVM Switch - USB Powered with Remote Switch. Keyboard port type: USB, Mouse port type: USB, Video port type: VGA. Maximum resolution: 2048 x 1536 pixels, Maximum digital resolution: 2048 x 1536 pixels. Product colour: Black, Housing material: Plastic, Cable length: 0.85 m. Windows operating systems supported: Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Mac operating systems supported: Mac OS 9.0, Mac OS 9.1, Mac OS 9.2, Mac OS X 10.0 Cheetah, Mac OS X 10.1 Puma, Mac OS X 10.2, Server operating systems supported: Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2016, Windows.... Compliance certificates: RoHS



Ports & interfaces		System requirements		
Number of computers controlled *	2	Mac operating systems supported	Mac OS 9.0, Mac OS 9.1, Mac OS 9.2, Mac OS X 10.0 Cheetah, Mac OS X 10.1 Puma, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks	
Keyboard port type *	USB			
Mouse port type *	USB			
Video port type *	VGA			
Console ports *	USB A, VGA (D-Sub)			
Console USB ports quantity	2			
Audio connections	✗	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2016, Windows Server 2019	
Performance			Sustainability	
Maximum resolution *	2048 x 1536 pixels		Compliance certificates	RoHS
Maximum digital resolution	2048 x 1536 pixels	Operational conditions		
Hot-Plug support	✓	Operating temperature (T-T)	0 - 40 °C	
Daisy chain	✗	Storage temperature (T-T)	-20 - 60 °C	
Design		Operating relative humidity (H-H)	0 - 90%	
Rack mounting *	✗	Weight & dimensions		
Product colour *	Black	Width	66 mm	
Housing material	Plastic	Depth	88 mm	
Cable length	0.85 m	Height	23 mm	
LED indicators	✓	Weight	380 g	
Certification	CE, FCC	Packaging data		
Display		Package width	164 mm	
Built-in display *	✗	Package depth	250 mm	
Power		Package height	63 mm	
USB powered	✓	Package weight	435 g	

System requirements	Packaging content
Windows operating systems supported	Manual <span style="float: right;">✓</span>
	<b>Other features</b>
	Audio support <span style="float: right;">✓</span>
	IP control <span style="float: right;">✗</span>
	<b>Logistics data</b>
	Harmonized System (HS) code <span style="float: right;">85176200</span>



0065030858625



065030858625



5054242255051

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.