



# MC9100/ MC9200 Series


## EMC Configuration and Accessories Guide

*Designed to assist customers and partners with model and  
configuration guidance*



## Contents

- I. MC9100 Series Configuration Guide**
- II. MC9200 Series Configuration Guide**
- III. MC9100 / MC9200 Series Accessories**



# MC9100 Configuration Guide



## MC9100 Series

CONFIGURATION & ACCESSORY GUIDES are available on [The Source](#) and [PartnerCentral](#)

For access to additional product information including this guide, please visit:

[www.zebra.com/mc9190](http://www.zebra.com/mc9190)

Find Product Information in the **EMC Product Portfolio** on [The Source](#) and [PartnerCentral](#)



**Partner Central**

ENTERPRISE MOBILE COMPUTING

# EMC PRODUCT PORTFOLIO

- EMC Resources
- Zebra Solutions At A Glance
- Enterprise Mobile Computing
  - Knowledge Worker Portfolio
  - Line Worker Portfolio
  - EMC Software & Solutions
- Topical Content
  - MSI OS Strategy
  - The Value of Enterprise Class Products

**CUSTOMER FACING** 

**FIELD MOBILITY** 

**TASK SPECIFIC** 

**INDUSTRIAL MOBILITY** 

MC9100 Third party accessories:

- [www.tsl.uk.com](http://www.tsl.uk.com)
- [www.agoraleather.com](http://www.agoraleather.com)

| CONFIGURATION OPTIONS:               | MC91xx                         | OPTION | DESCRIPTION   |
|--------------------------------------|--------------------------------|--------|---|
| Radio Option                         | MC91 <b>9</b> x-xxxxxxxxxx     | 9      | WLAN 802.11 a/b/g                                   |
| Form Factor                          | MC9190-G <b>G</b> xxxxxxxxxx   | G      | Gun   |
| Data Capture options (Scanner)       | MC9190-G <b>A</b> xxxxxxxxxx   | A      | SE960 1D Standard range laser                       |
|                                      | MC9190-G <b>J</b> xxxxxxxxxx   | J      | SE1524ER Lorax Long Range Laser                     |
|                                      | MC9190-G <b>3</b> xxxxxxxxxx   | 3      | SE4500 Blockbuster Imager                           |
|                                      | MC9190-G <b>5</b> xxxxxxxxxx   | 5      | SE4500 Blockbuster Imager with DPM                  |
|                                      | MC9190-G <b>8</b> xxxxxxxxxx   | 8      | SE4500 Blockbuster DL Imager for Driver License     |
|                                      | MC9190-G <b>9</b> xxxxxxxxxx   | 9      | SE4600 Long Range Imager                            |
| WAN Carrier options                  | MC9190-Gx <b>0</b> xxxxxxxxxx  | 0      | None  |
| Display                              | MC9190-Gxx <b>S</b> xxxxxxxxxx | S      | Color 3.7" Diagonal (640 x 480 pixels) w/ Touch     |
| Memory options                       | MC9190-Gxxx <b>W</b> xxxxxx    | W      | 256 MB RAM / 1 GB Flash                             |
| Product Feature: User Input/Keyboard | MC9190-Gxxxx <b>A</b> xxxxxx   | A      | 28 Key Numeric Keypad                               |
|                                      | MC9190-Gxxxx <b>E</b> xxxxxx   | E      | 53 Key Alpha-Numeric Keypad                         |
|                                      | MC9190-Gxxxx <b>F</b> xxxxxx   | F      | 43 Key Numeric Keypad                               |
|                                      | MC9190-Gxxxx <b>G</b> xxxxxx   | G      | 53 key VT Emulator Keypad                           |
|                                      | MC9190-Gxxxx <b>H</b> xxxxxx   | H      | 53 key 3270 Emulator Keypad                         |
|                                      | MC9190-Gxxxx <b>J</b> xxxxxx   | J      | 53 key 5250 Emulator Keypad                         |
| Operating System Options             | MC9190-Gxxxx <b>Q</b> xxxxxx   | Q      | Windows Mobile 6.5                                  |
|                                      | MC9190-Gxxxx <b>Y</b> xxxxxx   | Y      | Windows Compact Embedded 6.0                        |
| Additional Features                  | MC9190-Gxxxxxx <b>A6</b> xx    | A6     | Audio, Voice, Bluetooth                             |
|                                      | MC9190-Gxxxxxx <b>C6</b> xx    | C6     | Condensation Resistant with Audio, Voice, Bluetooth |
| Country or Custom Code               | MC9190-Gxxxxxxxx <b>WR</b>     | WR     | Worldwide ROHS                                      |
|                                      | MC9190-Gxxxxxxxx <b>JP</b>     | JP     | Japan   |
|                                      | MC9190-Gxxxxxxxx <b>TN</b>     | TN     | Tunisia   |



## MC9100 Data Capture Methods

### Scan Engines

- MC9190-GA** SE961 1D Standard range laser
- MC9190-GJ** SE1524ER Lorax long range laser
- MC9190-G3** SE4500 Blockbuster imager
- MC9190-G5** SE4500 Blockbuster imager with DPM
- MC9190-G8** SE4500 Blockbuster DL imager for driver license
- MC9190-G8** SE4600 Long range imager



**MC9190-GA**  
1D Standard Range Laser



**MC9190-GJ**  
Lorax Long Range Laser



**MC9190-G3**  
**MC9190-G5**  
**MC9190-G8**  
Blockbuster Imager

## MC9100 Keypad Options

### 28 Key Numeric Telephony

Large numeric keys  
Alpha character by SMS system

Spare keypad part number:  
**KYPD-MC9XMR000-01R**



### 43 Key Shifted Alpha

Calculator style numeric  
12 direct function keys

Spare keypad part number:  
**KYPD-MC9XMT000-01R**



### 53 Key Alpha-Numeric

Full alpha-numeric keypad  
10 shifted function keys

Spare keypad part number:  
**KYPD-MC9XMS000-01R**



## MC9100 Keypad Options

### 3270 Emulator Keypad

Full alpha-numeric  
20 shifted function keys

Spare keypad part number:  
**KYPD-MC9XMV000-01R**



### 5250 Emulator Keypad

Full alpha-numeric  
20 shifted function keys

Spare keypad part number:  
**KYPD-MC9XMW000-01R**



### VT Emulator Keypad

Full alpha-numeric  
20 shifted function keys

Spare keypad part number:  
**KYPD-MC9XMU000-01R**



The emulator keypads are only used when the MC9190-G is running the respective emulation software, otherwise the functions are same as 53- key keypad.



# MC9100 Operating Systems



Microsoft Windows Embedded  
Handheld 6.5 Classic Edition

Microsoft Windows  
Embedded Compact 6.0



## Operating System Configurations

**Microsoft Windows** Embedded  
handheld 6.5 classic edition

**Microsoft Windows** Embedded  
compact 6.0

## MC9100 Additional Features



Audio



Voice



Bluetooth



Condensation Resistant

### Additional Features

**A6** Audio, Voice, Bluetooth

**C6** Audio, Voice, Bluetooth,  
Condensation Resistant



# MC9200 Configuration Guide



## MC9200 Series

CONFIGURATION & ACCESSORY GUIDES are available on [The Source](#) and [PartnerCentral](#)

For access to additional product information including this guide, please visit:

[www.zebra.com/mc9200](http://www.zebra.com/mc9200)

- All MC9200 configurations are compatible and backward compatible with all existing accessories including: Cradles, Holsters and Cables.

Find Product Information in the **EMC Product Portfolio** on [The Source](#) and [PartnerCentral](#)



**Partner Central**

ENTERPRISE MOBILE COMPUTING

# 2014 EMC PRODUCT PORTFOLIO

- EMC Resources
- Zebra Solutions At A Glance
- Enterprise Mobile Computing
  - Knowledge Worker Portfolio
  - Line Worker Portfolio
  - EMC Software & Solutions
- Topical Content
  - MSI OS Strategy
  - The Value of Enterprise Class Products

CUSTOMER FACING

FIELD MOBILITY

TASK SPECIFIC

INDUSTRIAL MOBILITY

MC9200 Third party accessories:

- [www.vxicorp.com](http://www.vxicorp.com)
- [www.agoraleather.com](http://www.agoraleather.com)



| CONFIGURATION OPTIONS:               | MC92xx                               | OPTION | DESCRIPTION  |
|--------------------------------------|--------------------------------------|--------|--|
| Radio Option                         | MC92N <b>x</b> -xxxxxxxxxx           | N      | WLAN 802.11 a/b/g/n  |
| Form Factor                          | MC92N0-G <b>x</b> xxxxxxxxxx         | G      | Gun  |
| Data Capture options (Scanner)       | MC92N0-G <b>A</b> xxxxxxxxxx         | A      | SE965 1D Standard range laser  |
|                                      | MC92N0-G <b>J</b> xxxxxxxxxx         | J      | SE1524ER Lorax Long Range Laser  |
|                                      | MC92N0-G <b>3</b> xxxxxxxxxx         | 3      | SE4500 Blockbuster Imager  |
|                                      | MC92N0-G <b>5</b> xx <b>Y</b> xxxxxx | 5      | SE4500 Blockbuster Imager with DPM (Only in Premium Model)   |
|                                      | MC92N0-G <b>8</b> xx <b>Y</b> xxxxxx | 8      | SE4500 Blockbuster DL Imager (Only in Premium Model)   |
|                                      | MC92N0-G <b>9</b> xxxxxxxxxx         | 9      | SE4600 Long Range Imager   |
|                                      | MC92N0-G <b>L</b> xxxxxxxxxx         | L      | SE4750SR Imager  |
|                                      | MC92N0-G <b>M</b> xxxxxxxxxx         | M      | SE4750MR Imager  |
| WAN Carrier options                  | MC92N0-G <b>x0</b> xxxxxxxxxx        | 0      | None   |
| Display                              | MC92N0-Gxx <b>S</b> xxxxxxx          | S      | Color 3.7" Diagonal (640 x 480 pixels) w/ Touch  |
| Memory options                       | MC92N0-Gxxx <b>X</b> xxxxxxx         | X      | 512 MB RAM / 2 GB Flash (Standard Model Config)  |
|                                      | MC92N0-Gxxx <b>Y</b> xxxxxxx         | Y      | 1GB RAM / 2 GB Flash (Premium Model Config)  |
| Product Feature: User Input/Keyboard | MC92N0-Gxxxx <b>A</b> xxxxx          | A      | 28 Key Numeric Keypad  |
|                                      | MC92N0-Gxxxx <b>E</b> xxxxx          | E      | 53 Key Alpha-Numeric Keypad  |
|                                      | MC92N0-Gxxxx <b>F</b> xxxxx          | F      | 43 Key Numeric Keypad  |
|                                      | MC92N0-Gxxxx <b>G</b> xxxxx          | G      | 53 key VT Emulator Keypad  |
|                                      | MC92N0-Gxxxx <b>H</b> xxxxx          | H      | 53 key 3270 Emulator Keypad  |
|                                      | MC92N0-Gxxxx <b>J</b> xxxxx          | J      | 53 key 5250 Emulator Keypad  |
|                                      | MC92N0-Gxxx <b>YV</b> xxxxx          | V      | 53 key High Visibility White Keys (Only in Premium Model)  |
| Operating System Options             | MC92N0-Gxxx <b>YxQ</b> xxxx          | Q      | Windows Mobile 6.5 With MS Office (Only in Premium Model)  |
|                                      | MC92N0-Gxxxx <b>R</b> xxxx           | R      | Windows Mobile 6.5 Without MS Office   |
|                                      | MC92N0-Gxxxx <b>Y</b> xxxx           | Y      | Windows Compact Embedded 7.0   |
|                                      | MC9290-Gxxxx <b>K</b> xxxx           | A      | <b>Android KitKat 4.4</b><br><ul style="list-style-type: none"> <li>(SE1524 (Q4 2015), SE4750 DPM, SE4850 Q2 2016)</li> <li>The MC9200 Android Premium configuration supports the industry leading SE4750 SR and MR scan engines in August</li> <li>Android configurations will not support the SE4600</li> <li>LRI users should use the SE4750 MR or the next generation SE4850 which will be available in 2016.</li> </ul> |
| Additional Features                  | MC92N0-Gxxxxxx <b>A5</b> xx          | A5     | Audio, Voice and Bluetooth   |
|                                      | MC92N0-Gxxx <b>YxxA6</b> xx          | A6     | Audio, Voice, Bluetooth and IST (Only in Premium Model)  |
|                                      | MC92N0-Gxxx <b>YxxC6</b> xx          | C6     | Condensation Resistant with Audio, Voice, Bluetooth, IST (Only in Premium Model)   |
| Country or Custom Code               | MC92N0-Gxxxxxxxx <b>XX</b>           | XX     | <b>WR</b> = Worldwide ROHS; <b>XR</b> = Bartec; <b>KR</b> = Kroger   |

## MC9200 Configurations Available



### MC9200 Variants

#### Standard

**Memory:**

- 512MB RAM / 2GB Flash Memory

**Operating Systems:**

- Windows CE 7.0
- Windows embedded handheld 6.5

#### Premium

**Increased memory:**

- 1GB RAM / 2GB Flash Memory

**Operating Systems:**

- Windows CE 7.0
- Windows embedded handheld 6.5 with Microsoft Office

**Added features:**

- Integrated RFID tag (for asset management)
- 53 HV Keypad

**Other Options:**

- DL, DPM, Condensation resistant

## MC9200 Data Capture Methods

### Scan Engines

- MC9200-GA** SE965 1D Standard range laser
- MC9200-GJ** SE1524ER Lorax long range laser
- MC9200-G3** SE4500 Blockbuster imager
- MC9200-G5** SE4500 Blockbuster imager with DPM
- MC9200-G8** SE4500 Blockbuster DL imager for driver license
- MC9200-G8** SE4600 Long range imager

 G5 and G8 available in Premium models only



**MC9200-GA**  
1D Standard Range Laser



**MC9200-GJ**  
Lorax Long Range Laser



**MC9200-G3**  
**MC9200-G5**  
**MC9200-G8**  
Blockbuster Imager

## MC9200 Keypad Options

### 28 Key Numeric Telephony

Large numeric keys  
Alpha character by SMS system

Spare keypad part number:  
**KYPD-MC9XMR000-01R**



### 43 Key Shifted Alpha

Calculator style numeric  
12 direct function keys

Spare keypad part number:  
**KYPD-MC9XMT000-01R**



### 53 Key Alpha-Numeric

Full alpha-numeric keypad  
10 shifted function keys

Spare keypad part number:  
**KYPD-MC9XMS000-01R**



All replacement keypads are available as snap on, can be changed on site, without sending it to service depot.





## MC9200 Keypad Options

### 3270 Emulator Keypad

Full alpha-numeric  
20 shifted function keys


Spare keypad part number:  
**KYPD-MC9XMV000-01R**



### 5250 Emulator Keypad

Full alpha-numeric  
20 shifted function keys

Spare keypad part number:  
**KYPD-MC9XMW000-01R**



### VT Emulator Keypad

Full alpha-numeric  
20 shifted function keys

Spare keypad part number:  
**KYPD-MC9XMU000-01R**



The emulator keypads are only used when the MC9200-G is running the respective emulation software, otherwise the functions are same as 53- key keypad.

## MC9200 Operating Systems



Microsoft Windows Embedded  
Handheld 6.5.3 Professional Edition

Microsoft Windows  
Embedded Compact 7.0



### Operating System Configurations

#### Microsoft Windows Embedded handheld 6.5.3 professional edition

- With Microsoft Office (only on premium configurations)
- Without Microsoft Office

#### Microsoft Windows Embedded compact 7.0

## MC9200 Additional Features

### Additional Features

- A5** Audio, Voice, Bluetooth
- A6** Audio, Voice, Bluetooth  
Interactive Sensor Technology
- C6** Audio, Voice, Bluetooth,  
Interactive Sensor Technology  
Condensation Resistant

 A6 and C6 available in Premium models only



Audio




Voice



Bluetooth



Condensation Resistant



Interactive Sensor Technology  
3-axis Accelerometer



# MC9100 MC9200 Accessories Guide





## Step 1: Choose a charging method



### Single Slot Cradle:

**CRD9000-1001SR** Single slot USB / RS232 Cradle, w/spare battery charging

### Single Slot Cradle Kits:

**CRD9000-111SES (INTERNATIONAL)** **Includes:** Single Slot Cradle CRD9000-1001SR and Power Supply PWRS-14000-148R. (Must purchase country specific 3 wire AC Cord separately)

**CRD9000-110SES (US)** **Includes:** Single Slot Cradle CRD9000-1001SR, Power Supply PWRS-14000-148R and US AC Cord 23844-00-00R.



The single slot cradle can charge a MC9190-G/MC92N0 gun, charges a spare battery and has USB master and slave connections.

## Additional Accessories for Single Slot Cradle



### **25-64396-01R**

USB Cable for the cradle to the host system



### **25-63852-01R**

Provides serial communication between the single slot cradle and a host computer.



### **PWRS-14000-148R**

Power supply for single slot cradle: 100-240 VAC, 12VDC, 4.16A



### **23844-00-00R**

US AC line cord, 7.5 feet long, grounded, three wire for power supplies.



### **25-63856-01R**

Modem adapter cable used to connect the MDM9000-100R to the single slot cradle

## Step 1: Choose a charging method



### 4 Slot Cradles:

**CRD9101-4001CR** 4 Slot Charge Only Cradle

**CRD9000-4001ER** 4 Slot Ethernet Cradle

### 4 Slot Cradle Kits:

**CRD9101-411CES (INTERNATIONAL)** Includes: 4 Slot Charge Only Cradle CRD9000-4001ER, Power Supply PWRS-14000-241R and DC Cord 50-16002-029R. Order country specific 3 wire AC Cord separately

**CRD9000-411EES (INTERNATIONAL)** Includes: 4 Slot Ethernet Cradle CRD9000-4001ER, Power Supply PWRS-14000-241R and DC Cord 50-16002-029R. Order country specific 3 wire AC Cord separately

**CRD9000-410EES (US)** Includes: 4 Slot Ethernet Cradle CRD9000-4001ER, Power Supply PWRS-14000-241R, DC Cord 50-16002-029R and US AC Cord 23844-00-00R.

## Additional Accessories for 4-slot Cradles



### PWRS-14000-241R

Power supply for 4 slot cradles:90-264 VAC, 12VDC, 9A



### 50-16002-029R

DC cable provides power from the power supply to 4 slot charge only and Ethernet cradles



### 23844-00-00R

US AC line cord, 7.5 feet long, grounded, three wire for power supplies.

## Step 1: Choose a charging method

### Wall Mounting Bracket



#### **KT-61498-01R**

Wall mounting bracket, order one for a single slot cradle on one for the 4 slot battery charger, order two for 4 slot cradles. Must purchase the cradle bracket separately to install the cradle on the wall mount bracket.

### Cradle Bracket



#### **KT-61499-01R**

Cradle Bracket, order one for a single slot cradle and one for the 4 slot battery charger, order two for 4 Slot Cradles. Attaches to the bottom of the cradle and is required to install the cradle on the wall mounting bracket.

## Step 1: Choose a charging method



### Forklift Cradle:

#### FLC9000-1001R

Provides a secure mounting solution, equipped with rugged RS232 and USB ports capable of powering and communicating with tethered devices.

! The forklift cradle allows USB and RS232 connectivity between a docked MC9190-G/MC92N0-G and external devices such as scanners or printer (additional cables required)

### Forklift Cradle Kits:

**KT-FLC9000-LV** Includes Fork Lift Cradle (FLC9000-1001R), Low Voltage Power Converter (PWRS-14000-252R) and Power Cable (25-103873-01R)

**KT-FLC9000-HV** Includes Fork Lift Cradle (FLC9000-1001R), High Voltage Power Converter (PWRS-14000-251R), Power Cable (25-103872-01R)

! Must purchase separately:  
• Specific power converter : PWRS-14000-252R for low voltage or PWRS-14000-251R for high voltage  
• Power input cable :25-103872-01R

## Additional Accessories for Forklift Cradle



**PWRS-14000-251R**  
Fork Lift High Voltage Power Converter from 18-75VDC to 12VDC



**PWRS-14000-252R**  
Fork Lift Low Voltage Power Converter from 9-30VDC to 12VDC



**25-103872-01R**  
Forklift power input cable



**25-71917-02R**  
RS232 Cable, coiled 9' extended, rugged amphenol connector.



**25-71918-01R**  
USB Cable, coiled 9' extended, rugged amphenol connector



## Step 2: Choose battery / battery charging accessories

### 2200 mAh Battery



#### **KT-21-61261-01**

Spare Lithium Ion battery,  
2200 mAh

Pack of 10 spare batteries is also  
available:  
**(BTRY-MC90GKAB0E-10)**

### Spare Battery Charging Options:



#### **CRD9000-1001SR**

Single Slot Serial / USB Cable  
with spare battery charging



#### **SAC9000-4000R**

4-slot battery charger, charges  
four spare batteries.

### Accessories for 4-slot Battery Charger:



#### **25-72614-01R**

DC Line Cord for 4-Slot Battery Charger



#### **PWRS-14000-242R**

Power supply for 4-Slot Battery Charger



#### **23844-00-00R**

US AC line cord, 7.5 feet long, grounded,  
three wire for power supplies.

### 4-slot Battery Charger Kits:

#### **SAC9000-400CES**

US kit. Includes: 4-slot battery charger  
SAC9000-4000R, power supply PWRS-  
14000-242R, DC line cord 25-72614-01R  
and US AC line cord 23844-00-00R.

#### **KIT-SAC9000-4001ES**

International kit. Includes 4-slot battery  
charger SAC9000-4000R, power supply  
PWRS-14000-242R and DC line cord 25-  
72614-01R, must purchase country  
specific AC line cord separately.

## Step 3: Choose charging cables/adapters

### Cable Adapter Module



**ADP9000-100R**  
(3.3v - 500mAh) provides communication to the host or printer and can be used for AC charging

### Cable options for ADP9000-100R:



**25-62166-01R**  
USB Cable for Cable for adapter module



**25-62168-01R**  
Paxar printer cable for adapter module



**25-62167-02R**  
DEX cable for adapter module



**25-62169-01R**  
O'Neil printer cable for adapter module



**25-62167-03R**  
DEX cable w/ floating jack screws for adapter module



**25-62170-02R**  
Zebra printer cable for adapter module

### Other adapter modules and kits:

**KT-ADP9000-100ES** Includes: ADP9000-100R, power supply PWRS-14000-148R and US line cord 23844-00-00R.

**ADP9000-110R** (5VDC - 350mA) for use with long range scanner LS3408ER

**ADP9000-120R** (5VDC - 350mA) for use with Apriva BT200 Reader



**VCA9002-12R** Auto charge cable 12V for adapter module

**VCA9000-24R** Auto charge cable 24V for adapter module

## Step 4: Choose carrying accessories

### Holsters



**SG-MC9121112-01R**

Soft material holster for gun configurations only



**SG-MC9027242-01R**

Holster for use with Tethered Cac Solution And Aprivia Bluetooth Bt200

### Heated Boot



**SG-MC9024242-01R**

Allows device to be used in Freezer Applications.



Heated Boot requires 4 AA batteries for the heating element, not provided with the unit

**Shoulder strap**

**58-40000-007R**

Universal shoulder strap for holster.



### Protective Boot



**11-67218-04R**

Protective boot for gun configurations only

**Belt for holster**

**11-08062-02R**

Universal belt for fabric holster.



## Step 5: Choose other accessories

### Audio

**RCH51** Rugged wired headset designed for use in nearly any environment

**25-124387-02R** RCH51 headset adapter cable to standard 3-pole 2.5mm barrel jack.

**RCH51**  
Rugged Wired Headset  
Must purchase headset adapter  
cable separately, 25-124387-02R



### Belt Clip Kit

**KT-70147-01R** Belt clip kit is designed to hold the mobile computers firmly in place while on the move.

**KT-70147-01R**  
Belt Clip Kit



## Step 5: Choose other accessories

### Plastic Screen Guards

**KT-151827-03R** Pack of 3 screen guards

**KT-151827-500R** Pack of 500 screen guards

**KIT-MC9X-  
SCRIP1L-50** Laminate exit window overlay for use  
in food processing environment-  
Pack of 50



**KT-151827-03R**  
Plastic Screen Guards

### Hand straps

**KT-66447-03R** Replacement hand straps - Pack of 3

**KT-66447-03R**  
Replacement Hand straps



### Stylus Kits


**KT-68144-10R** Replacement grey stylus - Pack of 10

**KT-68144-50R** Replacement grey stylus - Pack of 50



**KT-68144-10R**  
Replacement Grey Stylus

**KT-81680-50R**  
Replacement Grey Stylus  
with tether





## Step 5: Choose other accessories

### Bluetooth Headsets (for MC9200 only)

**B250XT+** VXI Corp Bluetooth Wireless Headset

**Expressway II** VXI Corp Bluetooth Wireless Headset

### Forklift Ballistic Holster

**Y6911DWSP** Ballistic Nylon Holster for Forklift, Vehicle or Wall Mounting

### Card Reader (For MC9100 only)

**1139-01-SO-MC9X00-CAC**

TSL Common Access Card (CAC) Reader capable of reading Common Access Cards (CAC) as well as Smart Cards compliant with ISO7816-1,2,3,4.



**B250-XT+**  
Bluetooth Headset for MC9200



**Expressway II**  
Bluetooth Headset for MC9200

Bluetooth Headsets for WBA/VDP use case only 



**Y6911DWSP**  
Ballistic Holster for Forklift



**1139-01-SO-MC9X00-CAC**  
TSL Common Access Card reader for MC9100