

# Blackmagic MultiView 4



B8. 079. 460 " A86\*62C 4 6? . 9A86 B62C2>e5. e82e? E; A 9; : 6e; > 4 0; 9<82e28E  
6: 12<2: 12: e' DJ B612; ?; A>02? ; . . ?6: 482 16?<8. E! F2. eA:6: 4 4 6G-' DJ 6: <Ae? C6e5  
3A88 >2-?E: 05>; : 6F. e6; ; , " A86\*62C 4 82e? E; A 9; : 6e; > . : E 0; 9/6: . e6; : ; 3 ' D, HD . : 1  
) 8e. HD B612; 3; >9. e? . : 1 3>. 92 >. e2? . 88 . e52 ? . 92 e692. B8. 079. 460 " A86\*62C  
4 0. : ; Ae<Ae e; /; e5 1080 HD . : 1 2160< ) 8e. HD 16?<8. E? ?; E; A 0; : : 20e 6e e;  
26e52> >24A8. > HD ; > ) 8e. HD e282B6?6; : ? . J3 E; A 0; : : 20e . : ) 8e. HD e282B6?6; : ; >  
9; : 6e; >, E; A 0. : e. 72 . 1B. : e. 42 ; 3 e52 2D e. >2?; 8Ae6; : ; 3 ) 8e. HD . : 1 ?22 3A88  
>2?; 8Ae6; : 1920 D 1080 HD 6: 2. 05 B62C 3; > 6: 0>216/82 ?5. ><: 2??! -; A 0. : 2B2: eA>;  
; : . A16; 92e2> ; B2>8. E?; 0A?e; 9 8. /28? . : 1 9; >2 6: 2. 05 B62C!

\$495

## Connections

SD. Vide# . "\$(' &  
4 D 10-/6e ' D-' DJ, HD-' DJ . : 1 6G-' DJ.

SD. Vide# O('\$(' &  
4 8; ; <, 1 HD/) 8e. HD.

SD. Ra'e&  
270" /, 1.5G, 3G, 6G.

SD. Vide# M('i Vie\* O('\$(' &  
1 D 10-/6e HD-' DJ . : 1 10 /6e 6G-' DJ

HDM. Vide# M('i Vie\* O('\$(' &  
1 D HD" J e<2 A 0; : : 20e; >. \$Ae<Ae  
?A<<; >e? EDJD ; 3 e52 9; ; 6e; >.


SD. Rec #cki" g  
\$: . 88 ' DJ ; Ae<Ae?, . Ae; ?C6e056: 4  
/2eC22: ?e. : 1. >1 12H: 6e6; : , 5645  
12H: 6e6; : ; > 6G-' DJ B612; .

Refe%e" ce. "\$(' &  
#; : 2

M('i Ra'e S(\$\$#%'  
AAe; 12e20e6; : ; 3 ' D, HD ; > 6G-' DJ.  
' 69A8e. : 2; A? B62C6: 4 ; 3 4 , HD . : 1  
' D B612; .

U\$da'e&  
) ' B 2.0 5645 ?<221 (480" //?)  
6: e2>3. 02 ; > B6. Ee52>: 2e.

C#" -g(%a'i#"  
&J45 Ee52>: 2e; >) ' B 2.0 3; > H>9C. >2  
A<1. e2? . : 1 J% . 11>2?? ?2e6: 4.



---

## Standards

SD Vide# S'a" da%d&  
525f59.94 #(' C, 625f50 %A!

---

HD Vide# S'a" da%d&  
720<50, 720<59.94, 720<60  
1080<23.98, 1080<24, 1080<25,  
1080<29.97, 1080<30,  
1080<50, 1080<59.94, 1080<60  
1080%?F23.98, 1080%?F24, 1080%?F25,  
1080%?F29.97, 1080%?F30  
1080f50, 1080f59.94, 1080f60

---

2K Vide# S'a" da%d&  
2 DCJ 23.98<, 2 DCJ 24<, 2 DCJ 25<  
2 DCJ 23.98%?F, 2 DCJ 24%?F,  
2 DCJ 25%?F

---

U '%a HD Vide# S'a" da%d&  
2160<23.98, 2160<24, 2160<25,  
2160<29.97, 2160<30

---

4K Vide# S'a" da%d&  
4 DCJ 24<

---

SD. C#! \$ ia" ce  
' " %(E 259" , ' " %(E 292" ,  
' " %(E 296" , ' " %(E 310" ,  
' " %(E 425" , ' " %(E 425" -B,  
J() -& B(.656 . : 1 J() -& B(.601.

---

A(di# Me'e%&  
E. 05 B62C, \*) ?@. : 1. >1.

---

S#(%ce R#('i" g  
#; : 2

---

SD. Vide# Sa! \$ i" g  
4:2:2 . : 1 4:4:4.

---

SD. A(di# Sa! \$ i" g  
(282B676; : ?@. : 1. >1 ? . 9<82 >. @2 ; 3  
487HF . : 1 24-/6@.

---

SD. C# #% P%eci&i#"  
10-/6@ 4:2:2 . : 1 4:4:4.

---

SD. C# #% S\$ace  
-) \* ; > &GB 3; > 6: <A@?, -) \*  
3; > ; A@<A@?.

---

SD. A('S\* i'chi" g  
AA@; 9. @60. 88E ?2820@? /2@C22: ' D-' DJ,  
HD-' DJ, . : 1 6G-' DJ ; : 2. 05 6: <A@?;  
@5. @ 2. 05 6: <A@0. : /2 >A: : 6: 4  
. 16l 2>2: @@282B676; : ?@. : 1. >1.

---

SD. Me'ada'a S(\$\$#%'  
\*612; <. E8; . 1 612: @6H0. @6; . : 0688. >E  
1. @. . ? <2> ' " %(E 352" .

---

---

## Control

B(i' i" C#" '%# Pa" e  
#; : 2. ' A<< ; >@? (2> . : 2D " 6: 6' 9. >@% . : 28  
C5605 . 11? 92: A? . : 1 2.2 6: 05 0; 8; >  
16?<8. E.

---

E+'e%" a C#" '%# Pa" e  
#; : 2

---

---

## Displa"

\$<@6; . . 8 (2> . : 2D " 6: 6' 9. >@% . : 28 C6@5 2.2 6: 05 ! CD 3; > 92: A ?2@@6: 4?.

---

---

## Soft! are

S#f' \* a%e C#" '%#  
" A8@\*62C ?; 3@C. >2 6: 08A121 3>22 3; >  
+6: 1; C?TM . : 1 " . 0 \$' , TM.

---

.' 'e%" a S#f' \* a%e U\$g%ade  
\*6. 6: 08A121 A<1. @2> . <<860. @6; . :

---

---

## Operating S"stems



" . 0 \$' , 10.11 E8  
C. <6@. : ,  
9. 0\$' '62>>. ; >8. @2>.



+6: 1; C? 8.1 ; >  
+6: 1; C? 10.

---

## Physical Requirements

Power: 100-240V AC, 1.5A  
 JEC: 0.5W  
 90-240V AC, 1.5A

Power: 100-240V AC, 1.5A  
 C: 0.5W  
 %; E+ (< C2; B2: 2x52: 2x)

Power: 100-240V AC, 1.5A  
 16 + .001"

Power: 100-240V AC, 1.5A  
 " A: 0.5W  
 >2?; >21 6: ?; : E . @ < C2; ; .

## Physical Specifications



## Environmental Specifications

Temperature: 0°C to 40°C (32°F to 104°F)

Humidity: 10% to 90% (non-condensing)

Altitude: 0 to 12,000 ft (0 to 3,658 m)

## What's Included

Blackmagic MultiView 4  
 1x Power Cable

## Warranty

3-year warranty

A00 #29? ; : e56? C2/?#2 .>2 0; <E>445#B8.079.440 D2?4: %#E. !#1.2018, . 00 >445#? >2?>B21.  
A00 #. 129 .>7? .>2 <; <2>#E; 3 #52#>2?<20#B2 ; C: 2>?. " ' &% 2D0#A12? ?. 82? #. D2?/1A#2? .: 1  
?5#<#; 4 0; ?#?  
(5#? C2/?#2 A?2?>29 .>72#; 4 ?2>B#02? #; . 1B2>#?2 ; : #5#>1 <. >#E C2/?#2? #; <>2B#; A?  
B#?#; >? #; ; A> ?#2.  
-; A 0. ; <#; A# . #. : E #92 /E 05. : 4#; 4 0; ; 7#2 ?2#; 4?.

Blackmagic Design Authori#ed Reseller