



# RJ-2000

## 2" Mobile Label/Receipt Printer Series

Our fastest and lightest mobile printers yet, delivering reliability in the most rugged environments

# RJ-2000 Series

Versatile connectivity for printing labels or receipts in the most rugged environments.



## USER FLEXIBILITY

Compatible with a wide range of mobile devices and operating systems, including iOS and Android



## DURABLE

IP54 rating - Drop tested to 2.5m without the need for a case



## LIGHTWEIGHT

Our lightest device ever, ideal for printing on the move



## EASY TO USE

Mono LCD and 3 flat membrane keys



## EASY TO INTEGRATE

Simple integration into existing applications with free software development kit (SDK)\*









## CUSTOMISABLE

Power options include rechargeable batteries, AC adaptor, vehicle power kits and linkable battery chargers

\*Available from: <https://online.brother.co.uk/developer>

## Step 1. Choose your printer

	Rugged Receipt		Rugged Label/Receipt	
	RJ-2030	RJ-2050	RJ-2140	RJ-2150
203dpi print resolution	✓	✓	✓	✓
IP54 Certification	✓	✓	✓	✓
152mm/sec Print speed	✓	✓	✓	✓
 USB	✓	✓	✓	✓
 Bluetooth	✓	✓	✗	✓
 AirPrint	✗	✓	✓	✓
Made for  iPod  iPhone  iPad	✗	✓	✗	✓

# The RJ-2000 series can print up to 2" width receipts, quotes and labels on the spot.

The new series has a range of benefits over competing models, including being **20% lighter** in weight and **15% smaller**, whilst maintaining print speed and connectivity.

They provide you with the perfect on-person device for mobile workers needing a **2" printing solution**; from logistics and transportation to retail merchandising and healthcare facilities management.

Plus, with increased adaptability and connectivity they can increase productivity in demanding environments.

## LOGISTICS/TRANSPORT


- ✓ Order Confirmations
- ✓ Delivery Receipts
- ✓ Multi-purpose labelling
- ✓ Invoices
- ✓ Goods receipts

## RETAIL





- ✓ Shelf Labelling
- ✓ Price reduction
- ✓ On-site warehousing
- ✓ Customer Receipts
- ✓ Queue busting


## HEALTHCARE



- ✓ Laboratory
- ✓ Stock/ Logistics control
- ✓ Facilities



## Step 2. Choose your Accessories

Power Options			
PA-BT-003	PA-AD-600UK	PA-CD600WR	PA-CD600CG
Li-Ion Battery	AC Adapter	Wire-type Car Adapter	Cigarette-type Car Adapter
			

Additional Options	
PA-BC-002	PA-SS-4000
Battery charger (up to 4 connect & wall mountable)	Shoulder Strap
	

Label/Paper Options	
RD-R03E5	RD-Q04E1
Continuous Receipt Roll 58mm (12m length/roll)	White Die-cut Label 51mmx26mm (450 labels/roll)*
	

\*Only for RJ-2140 & RJ-2150.

# Specifications

	Rugged Receipt		Rugged Label/Receipt	
PRINTING	RJ-2030	RJ-2050	RJ-2140	RJ-2150
Print resolution	203dpi			
Print technology	Direct thermal			
Print speed	Maximum 6ips* (152mm/sec)			
Paper feed method	Roll feed			
Print width	Maximum 54mm			
Print length	Maximum 1m			
Roll width	58mm			
Roll diameter	40mm		60mm	
Barcode	Yes			
<b>Interfaces</b>				
LCD	Yes			
USB	Standard			
Bluetooth (Ver. 2.1)	Yes	Yes	No	Yes
WiFi (802.11 b/g/n)	No	Yes	Yes	Yes
<b>Memory</b>				
Memory size (RAM/Flash)	32MB / 32MB			
<b>General</b>				
Dimensions	122mm(W) x 57mm (H) x 99.3mm (D)		150mm(W) x 73mm (H) x 99.3mm (D)	
Weight inc. battery	465g (approx)		545g (approx)	
Battery	Rechargeable Li-ion (PA-BT-003):7.2V included			
AC adapter	Optional Accessory (15 V)			
Car adapter	Optional Accessory (Cigarette or wired)			
Operating system support	Microsoft® / Windows Vista® / Windows® 7 / Windows® 8 Windows® 8.1 / Windows® 10			
SDK	Android 2.3 or later / iOS 6 or later			
Supported Command	Raster, ESC/P, P-touchTemplate, ZPLII emulation, CPCL emulation			
<b>Environmental</b>				
Temperature	-10 to 50 deg C (During Operation) -20 to 60 deg C (During Storage)		-20 to 50 deg C (During Operation) -25 to 65 deg C (During Storage)	
Humidity	10-90% (No Condensation)			
Drop protection	2.5m			
Sealing certification	IP54			
<b>Contents</b>				
Provided	Li-ion battery, Belt clip, Documents			

\*Under Brother standard environment

Contact:

## Brother UK

Audenshaw, Manchester M34 5JD  
Tel: 0333 777 4444 Fax:+44 (0)161 931 2218  
Web: [www.brother.co.uk](http://www.brother.co.uk)

All specifications correct at time of printing October 2016.  
Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

**brother**  
at your side