

i-tec USB 3.0 / USB-C / Thunderbolt 3 Dual Display Docking Station

i-tec USB 3.0 / USB-C 5K Universal Dual Display Docking Station, 2x 4K 60Hz Video, 2x HDMI, 2x Display Port, 1x GLAN Ethernet, 6x USB-A 3.0, 1x Audio Input / Output, On/Off Switch, Kensington Lock, for Laptops, Tablets, Windows, Mac OS, Linux, Android, Thunderbolt 3 compatible



PRODUCT DESCRIPTION

Enhance your notebook, tablet or smartphone, utilising USB-C or USB-A connectivity. This Thunderbolt 3 compatible USB-C dual monitor docking station features the latest DisplayLink DL6950 chipset and offers the flexibility of both USB-C and USB-A host interfaces (cables included).

The unit is equipped with four graphics outputs, 2x HDMI, and 2x DisplayPort, although a maximum of two monitors can be supported simultaneously. Connect two monitors simultaneously and enjoy the higher 4096 x 2160 resolution @ 60 Hz, using any interface configuration (DP + DP, DP + HDMI, HDMI + HDMI). 5K resolution (5120 x 2880 @ 60 Hz)* is supported when a single monitor is connected via two DisplayPort cables.

6x USB-A 3.0 ports (USB 3.0 / 2.0 compatible) make it easy to connect all of your existing hardware and Gigabit Ethernet RJ45 port provides reliable, robust and high-speed internet connection, supporting 10/100/1000 Mbps speeds. 3.5 mm audio jacks can be found on the front panel and an easily accessible power-saving on/off switch can be found on the rear panel. The addition of a Kensington lock slot provides additional security, especially for those working regularly in public spaces.

i-tec docking stations are compatible with the vast majority of notebook brands and platforms, making it easier than ever to connect your favourite hardware. The unit is extremely compact, perfect for use at home or in the office. Due to the hybrid interface option especially hot desk use, due to the USB-C or USB-A interface options.

This docking station is suitable for use with MacBook Pro 2016, Macbook 2015, Chromebook Pixel 2015, Acer Switch Alpha 12, Acer Switch Alpha 13, Dell XPS 13, HP Elitebook Folio G1 and ASUS UX390UAK, as well as other devices with USB-C connectivity.

Product Overview & Features

- Connect your notebook, tablet or smartphone to additional monitors and your favourite hardware via a single USB-C or USB-A port (cables included)
- 1x USB-C port for connecting to a host with USB-C or USB-A interface
- Graphic interface: 2x HDMI and 2x Display Port. The docking station supports the connection of max. 2 monitors. Resolution:

- 1 monitor connected via 2 DP cables: 1x DP + 1x DP supports up to 5K 5120x2880@60Hz, host graphic card have to support 5K resolution
- 2 monitors connected simultaneously: 1x DP + 1x DP supports up to 4K 4096 x 2160@60Hz; 1x DP + 1x HDMI supports up to 4K 4096 x 2160 @ 60Hz; 1x HDMI + 1x HDMI supports up to 4K 4096 x 2160 @ 60Hz
- 6x USB-A 3.0 ports for connecting all existing hardware and accessories. USB-A ports are compatible with USB 3.1 and backward compatible with USB 3.0 / 2.0 devices
- Features DisplayLink DL6950, VIA VL813 chipset
- Fast network and Internet access with Gigabit Ethernet RJ-45 port, supporting 10/100/1000 Mbps speeds
- Kensington lock slot to discourage theft
- Separate 3.5 mm audio input / output jacks
- Power-saving on / off switch allowing quick and easy reset of the docking station & power LED indicator
- 1x power supply input – external power adapter (output: DC 20V/2A)
- Supports Windows 7/8/8.1/10, Mac OS X, Linux Ubuntu 14.04 / 16.04, Android 6 and later
- Cross-brand and cross-platform compatibility

Please make sure to check a compatibility of your device, whether it meets all the requirements for an operation of the specific i-tec product, especially video output (Display Port Alt mode), and/or Power Delivery. If your device would not be fully compatible, your new i-tec product may not operate correctly. You may find the specifications your device (i.e. USB port), in a user manual supplied with your notebook/tablet/smartphone, or – alternatively – via customer service provided by a manufacturer of your device. If still uncertain, however, contact our service at support@itecproduct.com.

Long product description: i-tec USB 3.0 / USB-C 5K Universal Dual Display Docking Station, 2x 4K 60Hz Video, 2x HDMI, 2x Display Port, 1x GLAN Ethernet, 6x USB-A 3.0, 1x Audio Input / Output, On/Off Switch, Kensington Lock, for Laptops, Tablets, Windows, Mac OS, Linux, Android, Thunderbolt 3 compatible

* 5K resolution is supported only by Windows

PRODUCT FEATURES

- 1x USB-C port for connecting to the host device with USB-C or USB-A port (cable USB-C and adapter from USB-C to USB 3.0 is included)
- Video ports:
 - 2x Display Port
 - 2x HDMI
- Supported Resolutions:
 - 1 monitor – 1x Display Port → up to 4K/60Hz
 - 1 monitor – 1x HDMI → up to 4K/60Hz
 - 1 monitor – 2x Display Port → up to 5K/60Hz*
 - 2 monitors – 1x Display Port + 1x Display Port → up to 2x 4K/60Hz
 - 2 monitors – 1x Display Port + 1x HDMI → up to 2x 4K/60Hz
 - 2 monitors – 1x HDMI + 1x HDMI → up to 2x 4K/60Hz
- 6x USB 3.0 port
- 1x Ethernet GLAN RJ-45 port (DisplayLink DL-6950)
- 1x 3,5mm Audio output, 1x 3,5mm Microphone input
- 1x Power input (DC 20/2A)
- ON/OFF switch
- LED indicator
- Kensington lock support
- USB-C cable with USB-C to USB-A adapter (100cm)
- OS: Windows 7 / 8 / 8.1 / 10, macOS X, Linux Ubuntu 14.04, 16.04, 17.04, 17.10 18.04, Android 5 or later, Chrome OS R51 or later

- Easy driver installation ([Windows](#), [MacOS](#), [Ubuntu](#), [Android \(external link\)](#))
- Product dimensions: 223 x 88 x 27mm
- Product weight: 338g
- Package dimensions: 314 x 144 x 60mm
- Package weight: 900g

* 5K resolution is supported only by Windows

SYSTEM REQUIREMENTS

Hardware requirements:

- Device with an available USB-A, USB-C or Thunderbolt™ 3 port

Operating System:

- Windows 7 / 8 / 8.1 / 10, macOS X, Linux Ubuntu 14.04, 16.04, 17.04, 17.10 18.04, Android 5 or later, Chrome OS R51 or later

SPECIFICATION

Part Number	Product Description & EAN
CADUAL4KDOCK	i-tec USB 3.0 / USB-C / Thunderbolt 3 Dual Display Docking Station EAN: 8595611702051
CADUAL4KDOCKUK	i-tec USB 3.0 / USB-C / Thunderbolt 3 Dual Display Docking Station EAN: 8595611702327
Hardware	
Bus type	USB-C, USB-3.0, Thunderbolt-3
Ports/Connectors	
USB 3.0 TYPE A	6
HDMI	2
DISPLAY PORT	2
AUDIO	1
MIC	1
LAN RJ-45	1
DC POWER ADAPTER JACK	1
System Requirements	
Hardware	Hardware requirements: Device with an available USB-A, USB-C or Thunderbolt™ 3 port
Operating system	Windows 7 / 8 / 8.1 /10 macOS X Android 5 or later Linux Ubuntu 14.04, 16.04, 17.04, 17.10, 18.04, 19.04 Chrome OS R51 or later Windows 10 - Automatic installation of OS drivers. Other operating systems - manual driver installation. Firmware updates automatically.
Other features	

Colour	grey
Housing Material	plastic
Product Dimensions	223 x 88 x 27 mm
Product Weight	338 g
Package Weight	900 g
Packaging Dimensions (LxWxH)	314 x 144 x 60 mm
Support	
Warranty period	2 years
Technical support	lifetime
Package contents	
Product	
USB-C cable with USB-C to USB-A adapter (100cm)	
Power adapter (DC cable 120cm)	
Manual	

For further information regarding setup or for answers to FAQ's, please visit our website i-tec.cz. Specifications are subject to change without notice.

Updated 23.10.2019