



## CHARGING STAND WITH OPTIONAL SECURITY CABLE FOR 7, 600, 700 SERIES BARCODE SCANNERS

### Stylish Hands-Free Scanning

Charge and scan at the same time while maintaining a secure holding place for the scanner with a security cable. The Charging Stand is designed for the Socket Mobile 600/700 Series products. The 2D barcode scanners have auto scanning mode, which provide scanning capabilities without pressing the scan button.

### Features & Benefits

- **Elegant & Functional** - Designed to complement your mPOS solution's appearance and functionality with the same style as the SocketScan and DuraScan scanners.
- **Auto Scan Mode\*** - Only the 2 dimensional barcode scanners (700 Series) have the Auto Scan Mode. Provides continuous scanning capabilities without pressing the scan button. \*\*
- **Security Cable** - Attaches the barcode scanner to the Charging Stand. Ideal for unattended situations as the cable keeps the scanner connected to the stand.
- **Placement Options** - Design includes free-standing, magnetic or keyhole mount options.
- **Charges Scanner** - Ready and available for use, separate battery light on scanners provide instant indication of battery status.
- **Fully Compatible** - Usable with 7 Series scanners, but not recommended as older 7 Series scanners do not have an eyelet on the scanner for the security cable.

\*With S740, D740, D750, D760

\*\*Grab and go features turn Auto Scan Mode off when scanner is removed from stand (security cable not in use) and trigger is depressed.

Stand Height:	6.5 in (165 mm)
Holder Width:	1.80 in (46 mm)
Holder Length:	5.50 in (140 mm)
Base Diameter	5.75 in (146 mm)

## TOTAL MASS

Stand Weight:	Without Scanner and Power Adapter: 13.7 oz (387 g)
Antimicrobial Rating:	JIS Z2801:2000 Test: 2.49 on MRSA 6.07 if cleaned with Sani-Cloth Plus cloth wipes

## HARDWARE FEATURES

Charging Mount:	<ul style="list-style-type: none"> <li>Built-in hook and cradle to securely hold the scanner in place</li> <li>Magnet ensures proper alignment for charging</li> <li>Gimbal, slot and thumb-lock screw enable 360 rotation and front/back tilt</li> <li>Lanyard can remain attached to scanner on Charging Stand if not using security cable</li> </ul>
Base:	<ul style="list-style-type: none"> <li>Rubber feet and a weighted base prevents sliding</li> <li>Magnets hold the Charging Stand steady on a metal surface</li> <li>Keyholes can mount the Charging Stand to a surface (optional)</li> </ul>
Electrical:	<ul style="list-style-type: none"> <li>Micro USB for connection (included)</li> <li>Charging Stand LED indicates power connection</li> <li>Scanner LED indicates when it is fully charged (solid green)</li> </ul>

## SUPPORTED SCANNER MODELS

Supports Auto Scan Mode for:	<ul style="list-style-type: none"> <li>700 Series Scanners: D740, D750, D760, S740</li> <li>600 Series: D600</li> <li>Series 7 Scanners: 7Qi, 7Xi</li> </ul>
AC Power/Battery Charges only:	<ul style="list-style-type: none"> <li>All 7/600/700 Series products</li> </ul>

## SKU# AC4159-1956 - INCLUDED

Charging Stand: (Assembly required)	<ul style="list-style-type: none"> <li>Holder</li> <li>Base</li> <li>Stem</li> <li>2-meter USB Charging Cable</li> </ul>
Warranty:	90 Days

## COMPLIANCE

FCC:	Complies with Part 15, FCC Rules
RoHS:	Directive 2002/95/EC

