

CT40 WEARABLE ACCESSORIES GUIDE



Honeywell

TABLE OF CONTENTS



- 1 Wearable Solution Configuration
- 2 Chargers (for Use with TPU Boot)
 - 2 Battery Chargers
- 3 Home Bases (for Charging Without TPU Boot)
- 3 Display Docks
- 4 Power Supplies
- 4 AC Line Cords

Use the Honeywell CT40 wearable solution to help ensure your workers' continual productivity in small parts picking and packing in retail, warehouse and T&L, reducing labor costs and increasing efficiency through hands-free operation.



WEARABLE SOLUTION CONFIGURATION

Option 1, one each – **RECOMMENDED**

		
Any CT40 SKU	CT40-PB-00	CT40-WS-00
CT40 Mobile Computer	Protective Boot CT40 TPU boot.	CT40 Wearable Kit Kit containing arm-mount sled with corded ring scanner and arm band with wrist pad.



Option 2, one each

		
Any CT40 SKU	CT40-PB-00	CT40-WS-KIT
CT40 Mobile Computer	Protective Boot CT40 TPU boot.	CT40 Wearable Kit Kit containing arm-mount sled with corded ring scanner and arm band.

Option 3, one each

		
Any CT40 SKU	CT40-PB-00	CT40-WS-PB
CT40 Mobile Computer	Protective Boot CT40 TPU boot.	Arm-Mount Sled with Corded Ring Scanner Arm-mount sled with corded ring scanner.

CT40-WS-AB or HWS-ARM BAND – **Choose one**

	
CT40-WS-AB	HWS-ARM BAND
Arm Band Arm band with wrist pad.	Arm Band Arm band.

CHARGERS (for Use with TPU Boot)

RECOMMENDED



CT40-CB-PB-0

Charge Base, Standard

For recharging up to four computers. Kit includes dock and power supply. Excludes power cord. Compatible with CT40 with TPU boot only.



CT40-NB-PB-0

Net Base, Standard

For Ethernet communications and recharging up to four computers. Kit includes dock and power supply. Excludes power cord. Compatible with CT40 with TPU boot only.



CT40-CB-PB-1

Charge Base, U.S.

For recharging up to four computers. Kit includes dock, power supply and U.S. power cord. Compatible with CT40 with TPU boot only.



CT40-NB-PB-1

Net Base, U.S.

For Ethernet communications and recharging up to four computers. Kit includes dock, power supply and U.S. power cable. Compatible with CT40 with TPU boot only.



CT40-CB-PB-2

Charge Base, EU

For recharging up to four computers. Kit includes dock, power supply and EU power cord. Compatible with CT40 with TPU boot only.



CT40-NB-PB-2

Net Base, EU

For Ethernet communications and recharging up to four computers. Kit includes dock, power supply and EU power cable. Compatible with CT40 with TPU boot only.



CT40-CB-PB-3

Charge Base, UK

For recharging up to four computers. Kit includes dock, power supply and UK power cord. Compatible with CT40 with TPU boot only.



CT40-NB-PB-3

Net Base, UK

For Ethernet communications and recharging up to four computers. Kit includes dock, power supply and UK power cable. Compatible with CT40 with TPU boot only.

BATTERY CHARGERS



CT40-QBC-0

QBC, Standard

For recharging up to four batteries. Kit includes dock and power supply. Power cord must be ordered separately.



CT40-QBC-1

QBC, U.S.

For recharging up to four batteries. Kit includes dock, power supply and U.S. power cord.



CT40-QBC-2

QBC, EU

For recharging up to four batteries. Kit includes dock, power supply and EU power cord.



CT40-QBC-3

QBC, UK

For recharging up to four batteries. Kit includes dock, power supply and UK power cord.

HOME BASES (for Charging Without TPU Boot)



CT40-HB-0

Home Base, Standard

Kit includes dock and power supply. Power cord must be ordered separately. For recharging computer and battery. Supports USB client via USB Type B connector.



CT40-HB-1

Home Base, U.S.

Kit includes dock, power supply and U.S. power cord. For recharging computer and battery. Supports USB client via USB Type B connector.



CT40-HB-2

Home Base, EU

Kit includes dock, power supply and EU power cord. For recharging computer and battery. Supports USB client via USB Type B connector.



CT40-HB-3

Home Base, UK

Kit includes dock, power supply and UK power cord. For recharging computer and battery. Supports USB client via USB Type B connector.



CT40-EB-0

Ethernet Home Base, Standard

Kit includes dock and power supply. Power cord must be ordered separately. For recharging computer, battery and Ethernet communications. Supports USB client via USB Type B connector.



CT40-EB-1

Ethernet Home Base, U.S.

Kit includes dock, power supply and U.S. power cord. For recharging computer, battery and Ethernet communications. Supports USB client via USB Type B connector.



CT40-EB-2

Ethernet Home Base, EU

Kit includes dock, power supply and EU power cord. For recharging computer, battery and Ethernet communications. Supports USB client via USB Type B connector.



CT40-EB-3

Ethernet Home Base, UK

Kit includes dock, power supply and UK power cord. For recharging computer, battery and Ethernet communications. Supports USB client via USB Type B connector.

DISPLAY DOCKS



CT40-DB-0

Display Dock, Standard

For connection with an external display, and extends I/O for HDMI, Ethernet communications and three USB ports. Kit includes display base and power supply. Must order power cord separately.



CT40-DB-1

Display Dock, U.S.

For connection with an external display, and extends I/O for HDMI, Ethernet communications and three USB ports. Kit includes display base, power supply and U.S. power cord.



CT40-DB-2

Display Dock, EU

For connection with an external display, and extends I/O for HDMI, Ethernet communications and three USB ports. Kit includes display base and power supply. Must order power supply and EU power cord.



CT40-DB-3

Display Dock, UK

For connection with an external display, and extends I/O for HDMI, Ethernet communications and three USB ports. Kit includes display base and power supply. Must order power supply and UK power cord.

POWER SUPPLIES



318-055-011

Spare Battery Pack

CT40 Battery Pack, 4040 mAh, for use with CT40 configurations with plastic battery latch button (last two digits in part number begin with **O**: CT40-L*N-xxxxx**O**x).



318-055-015

Spare Battery Pack

CT40 Battery Pack, 4040 mAh, for use with CT40 configurations with metal battery latch button (last two digits in part number begin with **A** or **B**: CT40-LON-xxxxx**A**x or CT40-L1N-xxxxx**B**x).



50121666-001

Desktop Power Supply

A 36 W power supply for use with Ethernet home base, charge-only home base and quad battery charger. Requires country-specific line cord to be ordered separately.



50121667-001

Quad Base Power Supply

A 84 W power supply for use with four-bay charging base and four-bay net base. Requires country-specific line cord to be ordered separately.



50130570-001

Power Plug Adapter Kit

USB power adapter (5 V, 2 A) kit for snap-on adapter. Includes EU, UK, U.S. and IN plugs.

AC LINE CORDS

50127245-001

Power Cord – India

Power cord, India, 1.5 m (4.9 ft).

50117501-001

Power Cord – Australia

Power cord, Australia, 2.5 m (8.2 ft).

50117503-001

Power Cord – CB

Power cord, Argentina, Isled CB.

77900506E

Power Cord – U.S.

Power cord, U.S., IEC320-C13, 1.85 m (6.07 ft).

77900507E

Power Cord – UK

Power cord, UK, IEC320-C13, 2.5 m (8.2 ft).

77900508E

Power Cord – EU

Power cord, Europe, IEC320-C13, 2.5 m (8.2 ft).

19-19807

Power Cord – China

Cable, China cord set (CCC), 2.5 m (8.2 ft).

19-19726

Power Cord – U.S.

Cable, power cord/IEC, U.S., 2.5 m (8.2 ft).

For more information

www.honeywellaidc.com

Honeywell Safety and Productivity Solutions

9680 Old Bailles Road
Fort Mill, SC 29707
800-582-4263
www.honeywell.com