

Product Highlights

True Gigabit Speed

Enjoy lightning-fast Gigabit speeds without the need for installing a new network card simply by using any available USB Type-C port on your device

Ultra-Fast USB 3.0

SuperSpeed USB 3.0 technology allows you to transfer files up to 10 times faster than with USB 2.0, at up to 5 Gbps

Full-Resolution Video

HDMI video up to 4K @ 30 Hz Ultra HD resolution for stunning videos and images with no lag.



DUB-M520

5-in-1 USB-C Hub with HDMI/Ethernet/Power Delivery

Features

Gigabit Ethernet Connectivity

- Achieve transfer speeds of up to 1 Gbps
- Status LEDs for connection status and data transfer speed
- Auto 10/100/1000 Mbps speed detection with auto-negotiation to always use the highest available speed

HDMI Compatibility

- Ultra HD video resolution up to 4K @ 30 Hz
- Supports HDMI 1.4 and DisplayPort Alternate Mode over USB-C
- HDCP 2.2 compatible

USB Type-C with Simple Installation


- Two USB 3.0 SuperSpeed 5 Gbps ports
- One USB 3.0 Type-C port with data sync and power delivery of up to 60 W (20 V @ 3 A)
- Backwards compatible with USB 2.0 and USB 1.1 devices
- Simply plug it in and you're ready to go
- No additional hardware or software installation required

Sturdy Aluminium Casing

- Strong aluminium alloy casing

The DUB-M520 5-in-1 USB-C Hub with HDMI/Ethernet/Power Delivery allows you to instantly add Gigabit Ethernet connectivity, a second display, and two additional USB 3.0 ports to your ultraportable computer. Just plug the DUB-M520 into an available USB Type-C port and you're ready to connect to the Internet with the reliability of a wired connection. You can also connect up to 2 more USB devices, as well as connect a second display, assuring that you don't have to solely rely on laggy wireless video streaming as an option to show things on a larger screen.

Hardware Overview



5-in-1 USB-C Hub with HDMI/Ethernet/Power Delivery

Technical Specifications

Connectivity

Device Interfaces	<ul style="list-style-type: none"> • RJ-45 Ethernet Port (10/100/1000 Mbps) • Two USB 3.0 Type-A (female) Ports • HDMI Port (3840 x 2160 or 4096 x 2160 pixels @ 30 Hz) 	<ul style="list-style-type: none"> • One USB 3.0 Type-C port with data sync and power delivery of up to 60 W (20 V @ 3 A) • USB Type-C Connector (Thunderbolt 3 compliant)
LEDs	<ul style="list-style-type: none"> • Speed (amber) 	<ul style="list-style-type: none"> • Link/ACT (green)
Standards	<ul style="list-style-type: none"> • OHCI (Open Host Controller Interface) • EHCI (Enhanced Host Controller Interface) • IEEE 802.3 Ethernet • IEEE 802.3u Fast Ethernet • IEEE 802.3ab Gigabit Ethernet • IEEE 802.3x Full Duplex and Half Duplex • IEEE 802.3az Wake-On-LAN Support 	<ul style="list-style-type: none"> • USB Specification Version 3.0 • USB Specification Version 2.0 • USB Specification Version 1.1 • HDMI 1.4 • HDCP 2.2 • DisplayPort Alternate Mode
General		
Minimum System Requirements	<ul style="list-style-type: none"> • Computer running Microsoft Windows, Mac OS, or Chrome OS 	<ul style="list-style-type: none"> • A USB Type-C Port with DisplayPort Alternate Mode Supported
Physical		
Dimensions (W x H x D)	<ul style="list-style-type: none"> • 103 x 31 x 11 mm (4.06 x 1.22 x 0.43 in) 	<ul style="list-style-type: none"> • Cable length: 17 cm (6.69 in)
Weight	<ul style="list-style-type: none"> • 49.0 g (1.73 oz) 	
Power	<ul style="list-style-type: none"> • Input: Bus-powered 	<ul style="list-style-type: none"> • Consumption: 120 mA, 5 V DC
Temperature	<ul style="list-style-type: none"> • Operating: 0 to 70 °C (32 to 158 °F) 	<ul style="list-style-type: none"> • Storage: -25 to 85 °C (-13 to 185 °F)
Humidity	<ul style="list-style-type: none"> • Operating: 5% to 80% RH, non-condensing 	<ul style="list-style-type: none"> • Storage: 5% to 80% RH, non-condensing
Certifications	<ul style="list-style-type: none"> • CE • FCC 	<ul style="list-style-type: none"> • IC • RCM



For more information: www.dlink.com

D-Link European Headquarters. D-Link (Europe) Ltd., First Floor, Artemis Building, Odyssey Business Park, West End Road, South Ruislip HA4 6QE, United Kingdom. Specifications are subject to change without notice. D-Link is a registered trademark of D-Link Corporation and its overseas subsidiaries. All other trademarks belong to their respective owners. ©2019 D-Link Corporation. All rights reserved. E&OE.

Updated September 2019

D-Link[®]