



4G LTE Mobile Wi-Fi

Go Anywhere Connect Everywhere









Highlights


Share 4G LTE Connection on the Go

The M7000, with a compact, elegant design, is very suitable for travel, business trips, outdoor activities or wherever you may be. You can enjoy a Wi-Fi hotspot without draining your phone's battery.



Easy Management with the tpMiFi App

With the tpMiFi App, you can easily access and manage the M7000 from your connected iOS/Android devices. The tpMiFi app allows you to set data limits, control which devices can access your Wi-Fi, and send messages.



Features







Lightning 4G LTE

- Lightning Generation 4G LTE Supports 4G LTE network, compatible with 3G network
- The Faster Connections Reaches up to 150 Mbps download speed and 50 Mbps upload speed, to enjoy HD movies without interruption, download files in seconds, and hold a video chat without dropouts
- * Actual wireless data throughput will vary as a result of network conditions, client limitations, and environmental factors

Convenient Hotspot

- Plug and Play Just insert a SIM card and power on to create a stable Wi-Fi hotspot to share on the move
- High-Speed Hotspot Share 2.4GHz Wi-Fi at speed of 300 Mbps with up to 10 Wi-Fi devices

8 Hours Usage

- · 2000 mAh 2000 mAh rechargeable battery capacity
- · 8 hours 8 hours of 4G sharing
- · 480 hours 480 hours of standby
- * Actual battery time may vary due to different user environments

Specifications

Hardware

- · Interface: 1 micro USB port, 1 SIM card slot
- · Button: Power Button, Reset Button
- · LED: Wi-Fi LED, Internet LED, Battery LED
- · External Power Supply: 5V/1A
- · Dimensions (W x D x H): $3.7 \times 2.2 \times 0.8$ in. $(94 \times 56.7 \times 19.8 \text{ mm})$
- · Antenna: Internal Antennas

Wireless

- · Network Type:
- 4G: FDD-LTE: B1/B3/B5/B7/B8/B20 (2100/1800/850/2600/900/800 MHz)
 - TDD-LTE: B38/B40/B41 (2600/2300/2500 MHz)
- 3G: HSPA+/HSPA/UMTS: B1/B5/B8(2100/850/900 MHz)
- · Wireless Standards: IEEE 802.11b/g/n 2.4 GHz
- · Frequency: 2.4 GHz
- · Wireless Speed: Up to 300 Mbps
- · Transmit Power: <20dBm
- · Reception Sensitivity:
- 11b 11Mbps: -87.5dBm;
- 11g 54Mbps: -74dBm;
- 11n HT20 MCS7: -70dBm;
- 11n HT40 MCS7: -68dBm:
- Wireless Security: Support WPA-PSK/WPA2-PSK, Wireless MAC Filtering, Enable/Disable SSID Broadcast
- · DHCP: Server, Client, DHCP Client List

Others

- · Certification: CE, RoHS
- System Requirements:
 - Windows 10/8/7/Vista/XP, Mac OS, Android, iOS, Windows Phone
- Environment
- Operating Temperature: 0°C~35°C (32°F~95°F)

 Storage Temperature: -20°C~60°C (-4°F~140°F)

 Operating Humidity: 10%~90% non-condensing

 Storage Humidity: 5%~90% non-condensing
- · Package Contents
- Mobile Wi-Fi M7000
- Micro USB Cable
- 2000 mAh Battery
- Quick Installation Guide



For more information, please visit

https://www.tp-link.com/products/details/?model=M7000 V1

or scan the QR code left

Specifications are subject to change without notice. TP-Link Technologies Co., Ltd. Other brands and product names are trademarks of their respective holders. Copyright ©2019 TP-Link Technologies Co., Ltd. All rights reserved.

*Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless coverage are not guaranteed and will vary as a result of network conditions, client limitations, and environmental factors, including building materials, obstacles, volume and density of traffic, and client location.

*Battery life estimates obtained through testing in a laboratory setting.

www.tp-link.com