



Acer X1328

Brand : Acer

Product code: MR.JX611.003

Product name : X1328



- Acer ColorBoost3D™
- WXGA Resolution
- Acer LumiSense™
- Acer BlueLightShield™
- Acer ColorSafe II
- Automatic Vertical Keystone Correction
- Eco-Mode

1920 x 1200, 5000 lm, 16:10, 20000:1 contrast, 1.54 to 1.72 (1524 mm@2000 mm) throw, 1.07B colors, 5000 H, HDMI, USB, VGA, 100-240V, 275W, 0 - 40°C, 2.80 kg

Acer X1328. Projector brightness: 5000 ANSI lumens, Projection technology: DLP, Projector native resolution: WXGA (1280x800). Light source type: Lamp, Service life of light source: 5000 h, Service life of light source (economic mode): 10000 h. Focus: Manual, Focal length range: 21.85 - 24 mm, Aperture range (F-F): 2.41 - 2.53. Analog signal format system: NTSC, PAL, SECAM, Digital signal format system: EDTV, HDTV, SDTV, Supported graphics resolutions: 1920 x 1200 (WUXGA). Serial interface type: RS-232, HDMI connector type: Full-size, HDMI version: 1.4b

Projector		Ports & interfaces	
Supported aspect ratios	4:3, 16:9	DVI port *	✗
Screen size compatibility *	685.8 - 7620 mm (27 - 300")	Network	
Projection distance	1 - 10 m	Wi-Fi *	✗
Projector brightness *	5000 ANSI lumens	Features	
Projection technology *	DLP	Noise level (economic mode)	27 dB
Projector native resolution *	WXGA (1280x800)	HDCP	✓
Contrast ratio (typical) *	20000:1	Multimedia	
Native aspect ratio *	16:10	Built-in speaker(s) *	✓
Number of colours	1.07 billion colours	RMS rated power	3 W
Projector brightness (economic mode)	4000 ANSI lumens	Number of built-in speakers	1
Uniformity	80%	Design	
Horizontal scan range	15 - 100 kHz	Market positioning *	Business
Vertical scan range	24 - 120 Hz	Product colour *	Black
Keystone correction, vertical	-40 - 40°	Placement	Ceiling
Light source		LED indicators	Light, Power, Temperature
Light source type *	Lamp	Cable lock slot type	Kensington
Service life of light source *	5000 h	Display	
Service life of light source (economic mode)	10000 h	Built-in display *	✗
Lamp type	OSRAM	Power	
Lamp power	240 W	Power source *	AC
Lamps quantity	1 lamp(s)	Power consumption (typical) *	275 W
Lens system		Power consumption (standby) *	0.5 W
Focus *	Manual	AC input voltage	100 - 240 V
Focal length range	21.85 - 24 mm	Software	
Aperture range (F-F)	2.41 - 2.53	Windows operating systems supported	✓
Zoom capability	✓	Mac compatibility	✓
Zoom type	Manual	Other operating systems supported	ChromeOS
Zoom ratio	1.1:1	Operational conditions	
Digital zoom	2x	Operating temperature (T-T)	0 - 40 °C
Optical zoom	1.1x	Operating relative humidity (H-H)	0 - 80%
Throw ratio	1.54 - 1.72	Weight & dimensions	
Offset	125%	Width	313 mm
Video			
Analog signal format system *	NTSC, PAL, SECAM		

Video		Weight & dimensions	
Digital signal format system	EDTV, HDTV, SDTV	Depth	240 mm
Supported graphics resolutions	1920 x 1200 (WUXGA)	Height	113.7 mm
Ports & interfaces		Weight *	2.8 kg
HDMI connector type	Full-size	Packaging content	
HDMI version	1.4b	Remote control included *	✓
USB 2.0 Type-A ports quantity	2	Batteries included	✓
Audio (L/R) in *	1	Cables included	AC, VGA
Audio (L/R) out	1	Manual	✓
Serial interface type *	RS-232	Packaging content	Lens Cap Security Card
VGA (D-Sub) ports quantity *	2	Logistics data	
HDMI ports quantity *	2	Quantity per pack	1 pc(s)
Composite video in *	1	Other features	
Component video (YPbPr/YCbCr) in *	1	Special features	Acer ColorBoost3D™ Acer LumiSense™ Acer BlueLightShield™ Acer ColorSafe II Automatic Vertical Keystone Correction Eco-Mode
		RS-232 ports	1
		Maximum digital resolution	1920 x 1200 pixels
		Security features	Security Bar



4711474020130

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2024. Prints or copies of Information are only valid on the printed Publication date