



## AOC Q27P3CV computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LED Black

Brand : AOC

Product code: Q27P3CV

Product name : Q27P3CV

Screen size (inch) 27, Panel resolution 2560x1440, Refresh rate 75 Hz, Panel type IPS, USB-C connectivity USB-C 3.2 x 1 (DP alt mode, upstream, power delivery up to 65 W), HDMI HDMI 1.4 x 2, Display Port DisplayPort 1.2 x 1, Sync technology (VRR) Adaptive Sync  
AOC Q27P3CV. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Network	
Display diagonal *	68.6 cm (27")	Ethernet LAN	✓
Display resolution *	2560 x 1440 pixels	<b>Ergonomics</b>	
HD type *	Quad HD	VESA mounting *	✓
Native aspect ratio *	16:9	Panel mounting interface	100 x 100 mm
Display technology *	LED	Wall mountable	✓
Panel type *	IPS	Cable lock slot *	✓
Backlight type	W-LED	Cable lock slot type	Kensington
Touchscreen *	✗	Height adjustment *	✓
Display brightness (peak)	350 cd/m <sup>2</sup>	Height adjustment	15 cm
Display brightness (typical)	350 cd/m <sup>2</sup>	Pivot	✓
Response time *	4 ms	Pivot angle	-90 - 90°
Anti-glare screen	✓	Swivelling	✓
Screen shape *	Flat	Swivel angle range	-180 - 180°
Supported video modes	1080p, 1440p, 2160p	Tilt adjustment	✓
Contrast ratio (typical) *	1000:1	Tilt angle range	-5 - 35°
Contrast ratio (dynamic)	50000000:1	On Screen Display (OSD)	✓
Maximum refresh rate *	75 Hz	<b>Power</b>	
Viewing angle, horizontal	178°	Energy efficiency class (SDR) *	F
Viewing angle, vertical	178°	Energy efficiency class (HDR) *	F
Display number of colours *	16.7 million colours	Energy consumption (SDR) per 1000 hours *	24 kWh
Pixel pitch	0.2331 x 0.2331 mm	Energy consumption (HDR) per 1000 hours *	24 kWh
Pixel density	109 ppi	Power consumption (typical) *	23 W
Display diagonal (metric)	68.6 cm	Power consumption (standby) *	0.5 W
High Dynamic Range (HDR) supported	✓	Power consumption (off)	0.3 W
Surface hardness	3H	AC input voltage	100 - 240 V
sRGB coverage (typical)	117%	AC input frequency	50 - 60 Hz
NTSC coverage (typical)	102%	Power supply type	Internal

<b>Performance</b>		<b>Power</b>	
Fast charging	✓	Energy efficiency scale	A to G
Flicker-free technology	✓	European Product Registry for Energy Labelling (EPREL) code	1375766
Low Blue Light technology	✓		
<b>Multimedia</b>		<b>Weight &amp; dimensions</b>	
Number of speakers	2	Width (with stand)	613.8 mm
RMS rated power	2 W	Depth (with stand)	200.2 mm
Built-in speaker(s) *	✓	Weight (with stand)	6.81 kg
Built-in camera *	✗	Depth (without stand)	52.8 mm
<b>Design</b>		<b>Packaging data</b>	
Market positioning *	Business	Package width	820 mm
Product colour *	Black	Package depth	162 mm
Frameless design	✓	Package height	481 mm
Front bezel colour	Black	Package weight	9.98 kg
Detachable stand	✓		
<b>Ports &amp; interfaces</b>		<b>Packaging content</b>	
Built-in USB hub *	✓	Cables included	AC, DisplayPort, HDMI, USB Type-C
USB hub version	3.2 Gen 1 (3.1 Gen 1)	DisplayPort cable length	1.8 m
USB upstream port type	USB Type-C	HDMI cable length	1.8 m
Number of upstream ports	1	Power cable length	1.8 m
Number of USB Type-C upstream ports quantity	1		
USB Type-A downstream ports quantity	4	<b>Sustainability</b>	
USB Type-C DisplayPort Alternate Mode	✓	Sustainability compliance	✓
USB Power Delivery	✓	Sustainability certificates	TCO
USB Power Delivery up to	65 W	Doesn't contain	PVC/BFR
HDMI *	✓		
HDMI ports quantity	2	<b>Other features</b>	
HDMI version	1.4	Low input lag	✓
DisplayPorts quantity	1	Compatibility	VESA-P2
DisplayPort version	1.2	Exterior finish type	Textured
Headphone out *	✓	Recyclable packaging material	100%
Headphone outputs	1	Heavy metals free	Hg (mercury)
Headphone connectivity	3.5 mm	Mean time between failures (MTBF)	70000 h
HDCP	✓	Certification	EPA, TCO, EPEA
HDCP version	1.4	<b>Recycling data</b>	
		Post-consumer recycled plastic	85%



4038986180740

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 03-NOV-2024. Prints or copies of Information are only valid on the printed Publication date